

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Variolink Esthetic DC (Catalyst)
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 02.10.2014 **Version :** 1.0.0
Print date : 02.10.2014

01. Identification of substances, preparation and company

Product name: Ivoclar Vivadent Variolink Esthetic DC (Catalyst)
Use of the substance / preparation: Dual curing resin base dental luting material
Manufacturer / Supplier: Ivoclar Vivadent AG
Street / P O Box: Benderstrasse 2
Country code / Postal Code / Town / City: FL-9494 Schaan
Principality of Liechtenstein
Telephone: + 423 235 35 35
Telefax: + 423 235 33 60
Distributor: Ivoclar Vivadent Pty Ltd
1 – 5 Overseas Drive
Noble Park North VIC 3174
Australia
Telephone: + 61 3 9795 9599
Telefax: + 61 3 9795 9645
Emergency information: Poisons Information Centre: Dial 13 11 26
24 hours a day, 7 days a week – Australia wide

02. Hazards identification

Statement of Hazardous Nature

This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.

Hazard designation

Classification: Not classified as a dangerous good for transport.

ADG Classification: Not classified

UN Number: Not classified

Particular information pertaining specific risk for human and environment

R phrases

R7	May cause fire.
R21/22	Harmful in contact with skin and if swallowed.
R22	Harmful if swallowed.
R21/22	Harmful in contact with skin and if swallowed.
R23	Toxic by inhalation.
R34	Causes burns.
R36	Irritating to eyes.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R43	May cause sensitisation by skin contact.
R48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52	Harmful to aquatic organisms.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S phrases

S2	Keep out of the reach of children.
S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28	After contact with skin, wash immediately with plenty of water and soap.
S37/39	Wear suitable gloves and eye/face protection.

03. Composition / information on ingredients

Chemical characterisation

Mixture of ytterbium trifluoride, urethane dimethacrylate, glycerine-1.3 dimethacrylate, decamethylene dimethacrylate, am a-dimethylbenzyl hydroperoxide 2,6-di-tert-butyl-p-cresol and other non-hazardous materials.

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Variolink Esthetic DC (Catalyst)
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 02.10.2014 **Version :** 1.0.0
Print date : 02.10.2014

Hazardous components

CAS NO: 13760-80-0	20-<25%	Ytterbium trifluoride	EINECS: 237-354-2	Xi: R36/37/38
CAS NO: 72869-86-4	3-<10%	Urethane dimethacrylate	EINECS: 276-957-5	Xi: R36 R43 R52/53
CAS NO: 1830-78-0	3-<10%	Glycerin-1.3-dimethacrylate	EINECS:	N: R52
CAS NO: 6701-13-9	3-<10%	Decamethylene dimethacrylate	EINECS: 229-745-1	Xi: R36 R43
				C: R34 O: R7
				N: R51/53 T: R23
CAS NO: 80-15-9	1-<2.5%	a.a-dimethylbenzyl hydroperoxide	EINECS: 201-254-7	Xi: R36/38
				Xn: R21/22
				R48/20/22
				N: R51/53
CAS NO: 128-37-0	0.1-<0.3%	2.6 Di-tert-butyl-p-cresol	EINECS: 204-881-4	Xi: R36/38 Xn: R22
CAS NO:				

Dangerous component / Risk phrases:

R7	May cause fire.
R21/22	Harmful in contact with skin and if swallowed.
R22	Harmful if swallowed.
R21/22	Harmful in contact with skin and if swallowed.
R23	Toxic by inhalation.
R34	Causes burns.
R36	Irritating to eyes.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R43	May cause sensitisation by skin contact.
R48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52	Harmful to aquatic organisms.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

04. First-aid measures

General

Immediately remove all contaminated clothing. Let in fresh air. In case of unconsciousness, place patient stably in side position and seek medical assistance immediately.

After inhalation

Let in fresh air. Remove to fresh air. Seek medical assistance immediately.

After skin contact

After contact with skin, wash immediately with plenty of water. Seek medical assistance immediately.

After eye contact

Flush with plenty of water (10 – 15 minutes) and seek medical assistance immediately.

After ingestion

Rinse out mouth and drink plenty of water. Do not induce vomiting. Seek medical assistance immediately.

05. Fire-fighting measures

Suitable extinguishing media

Carbon dioxide, extinguishing powder, water spray. Fight larger fires with water spray and alcohol resistant foam.

Unsuitable extinguishing media

Waterjet.

Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged

Prevent from flowing into effluent, ground water, surface water or the soil.

Special protective equipment

When extinguishing fires, use breathing apparatus with an independent source of air.

Firefighters should wear full protective clothing including self-contained breathing apparatus.

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Variolink Esthetic DC (Catalyst)
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 02.10.2014 **Version :** 1.0.0
Print date : 02.10.2014

06. Accidental release measures

Personal precautions

Wear suitable protective clothing, gloves and eye / face protection.

Environmental precautions

Prevent from flowing into effluent, ground water, surface water or the soil.
Complete the disposal in compliance with all applicable Local, State and Federal government regulations.

Methods for cleaning up / collecting

Do not allow to flow off into effluent, ground water, surface water or the soil.
Take up with a mechanical source and precede according to the water disposal regulations.
Clean up with liquid binding material (sand, dolomite, acid binders, universal binders and sawdust).
Complete the disposal in compliance with all applicable Local, State and Federal government regulations.

Additional information

Prevent skin and eye contact.

07. Handling and storage

Information for safe handling

Keep out of reach of children.
Only adequately trained personnel should handle this product.
When using – do not eat, drink or smoke.

Information about protection against explosions and fires

No anti-explosion measures necessary.

Requirements to be met by storerooms and containers

Store only in original container.
Store in a dry, well-ventilated area in the original container. Keep container tightly closed.
Store at 2 – 28°C / 36 – 82°F. Do not store in open sunshine. Keep away from heat source.

Information about separation of incompatible products

Store foodstuffs separately.

08. Exposure controls and personal protection

Additional information about engineering measures

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Components with critical values that require monitoring at the workplace (exposure limits)

None.

Specifications: TWA (AUS)

Value: MAK 0mg/m³

Personal protective equipment

Do not eat or drink during work. No smoking.
Keep away from food, drink and animal feeding stuff.
Avoid contact with skin and eyes.

Respiratory protection

Provide for good ventilation.

Hand protection

Short-term exposure (<30mins): disposable gloves, eg: nitrile rubber, material thickness 0.1mm (Australian Standard 2161). Long-term exposure (Level 6: < 480min): protective gloves, eg: nitrile rubber, material thickness 0.7mm (Australian Standard 2161).

Commercial medical gloves do not provide protection against the sensitising effect of methacrylates.
Check penetration time for the specific gloves used with the glove manufacturer. Solvent resistant gloves.

Eye protection

Avoid contact with eyes. Use tightly fitting safety glasses (Australian Standard AS 1336 and AS/NZS 1337).
An eyewash fountain should be located in the immediate working area. Wear eye protection when mixing or using. Use approved close fitting safety goggles and / or visor for splash protection.

Body protection

No particular measures required.

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Variolink Esthetic DC (Catalyst)
 Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
 Revision : 02.10.2014 Version : 1.0.0
 Print date : 02.10.2014

09. Physical and chemical properties

Image

Form: Pasty
 Colour: According to product specification
 Odour: Characteristic

Relevant safety data

Melting point/range:	(1013 hPa)		Undetermined	°C	
Casting point/range:	(1013 hPa)	ca.	Undetermined	°C	
Flash point:			n/a	°C	DIN 51755
Ignition temperature			n/a	°C	
Viscosity:			n/a	mPas	
Vapour pressure:			n/a	mbar	
Density:	(20°C)		1.8705	g/cm ³	
Solubility in water:	(20°C)		Nearly insoluble	g/l	
pH value:			n/a		

10. Stability and reactivity

Conditions to avoid

Stable under normal handling and storage conditions.
 Keep away from heat and direct sunlight.

Materials to avoid

No further relevant information available.

Hazardous decomposition products

No further relevant information available.

11. Toxicological information

Toxicological tests

LD/LC50 values relevant for classification:-

Dimethylbenzyl hydroperoxide

Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4h	220 mg/l (rat)

Primary irritant effect

Prolonged or repeated exposure may cause drying or irritation of the eyes, skin and mucous membranes.
 Ingestion and prolonged exposure to skin and eyes should be avoided, as should inhalation of any generated vapours.

Sensitisation

Prolonged or repeated exposure may cause drying or irritation of the eyes, skin and mucous membranes.
 Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals.

Experience on practice

Prolonged or repeated exposure may cause drying or irritation of the eyes, skin and mucous membranes.
 Ingestion and prolonged exposure to skin and eyes should be avoided, as should inhalation of any generated vapours

12. Ecological information

Details on elimination (persistence / degradability)

Abiotal elimination

No data available.

Biological degradation / elimination

Slightly hazardous for water.

Prevent from flowing into effluent, ground water, surface water or the soil..

Fate in environmental compartments

Slightly hazardous for water.

Prevent from flowing into effluent, ground water, surface water or the soil.

Ecotonical effects

Performance in sewage/treatment plants

Slightly hazardous for water.

Prevent from flowing into effluent, ground water, surface water or the soil.

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Variolink Esthetic DC (Catalyst)
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 02.10.2014 **Version :** 1.0.0
Print date : 02.10.2014

13. Disposal consideration

Product

Concentrate: Avoid contamination of ground water or waterways.
The product must not enter effluent, ground water, surface water or the soil.
Clean up with liquid binding material (sand, dolomite, acid binders, universal binders and sawdust).
Complete the disposal in compliance with all applicable Local, State and Federal government regulations.

Contaminated packaging

Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant. Un-cleaned packaging must be disposed of in the same manner as the medium.
Responsibility for proper waste disposal rests with the generator of the waste.
Dispose of any waste material (including containers) in accordance with all applicable Local, State and Federal government regulations regarding waste management methods.

14. Transport information

Land transport ADG

Classification: Not classified as a dangerous good for transport.

ADG Class: | not classified
UN Number: | not classified

Maritime transport IMDG

Classification: Not classified as a dangerous good for transport.

ADNR Class: | not classified
UN Number: | not classified

Air transport ICAO-TI and IATA-DGR

Classification: Not classified as a dangerous good for transport.

ICAO/IATA Class: | not classified
UN Number: | not classified

15. Regulatory information

Danger symbol and danger designation

none

Hazard-determining components of labelling

none

R phrases

R7	May cause fire.
R21/22	Harmful in contact with skin and if swallowed.
R22	Harmful if swallowed.
R21/22	Harmful in contact with skin and if swallowed.
R23	Toxic by inhalation.
R34	Causes burns.
R36	Irritating to eyes.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R43	May cause sensitisation by skin contact.
R48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52	Harmful to aquatic organisms.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S phrases

S2	Keep out of the reach of children.
S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28	After contact with skin, wash immediately with plenty of water and soap.
S37/39	Wear suitable gloves and eye/face protection.

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Variolink Esthetic DC (Catalyst)
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 02.10.2014 **Version :** 1.0.0
Print date : 02.10.2014

16. Other information

Processing instructions / technical data sheets

Please observe the label / directions for use.

Further information

Important Note: The above-mentioned data correspond to our present state of knowledge and experience as of the date noted and are for use only as a guide in connection with occupational health and safety. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications do not have the meaning of guarantees on the properties of the product.

We make no representation, guarantee or warranty, express or implied, as to the accuracy, reliability or completeness of the information and assume no responsibility for injury damage or loss resulting from the use of the material.

Contact

Dr Peter Lobo - Ivoclar Vivadent Pty Ltd 1 – 5 Overseas Drive Noble Park North VIC 3174 Australia
Tel: + 61 3 9795 9599

This data is based on our present knowledge; however, this shall not constitute a guarantee for any specific product features and shall not establish a legally contractual relationship.
