

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Telio Lab LC Transparent Incisal and Base
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

01. Identification of substance, preparation and company

Product name : Ivoclar Vivadent Telio Lab LC Transparent Incisal and Base

Use of the substance / preparation : Light-curing characterization material

Manufacturer/Supplier : Ivoclar Vivadent AG

Street/P.O.Box : Benderstrasse 2 FL-9494

Country code/Postal code/Town/City : D-Schaan Fürstentum Liechtenstein

Telephone : +423/235 35 35

Telefax : +432/235 33 60

Distributor : Ivoclar Vivadent P/L (Australia), 1-5 Overseas Drive, Noble Park North, Victoria 3174
Phone No.: +61-3 9795 9599, Tele fax No.: +61-3 9795 9645

Emergency information : Poisons Information Centre: Dial 13 11 26
24 hours a day, 7 days a week Australia wide

02. Hazards identification

Statement of Hazardous Nature

This product is not classified as: Hazardous according to criteria of National Occupational Health and Safety Commission. Non-Dangerous Goods according to ADG.

Hazard designation

Classification : Not classified

ADG Classification: not classified

UN Number:

Particular information pertaining specific risk for human and environment

Uncured material: May cause sensitization by skin contact. Direct contact may cause eye and skin irritation.

03. Composition/information on ingredients

Chemical characterization

Paste of dimethacrylates, copolymer, silicondioxide, catalysts, stabilizers and pigments

Hazardous components

CAS No. 72869-86-4 < 30 % Urethane dimethacrylate

Xi: Irritant. R36: Irritating to eyes. R38: Irritating to skin. R43: May cause sensitisation by skin contact.

CAS No. 6701-13-9 < 10 % Decamethyldimethacrylate

Xi: Irritant. R43: May cause sensitisation by skin contact.

Hazards identification

Uncured material: Direct contact can cause eye and skin irritation. The material is contraindicated if a person is known to be allergic to any of the ingredients of the product.

04. First-aid measures

General

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Telio Lab LC Transparent Incisal and Base
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

Immediately remove all contaminated clothing.

After inhalation

Let in fresh air. Call a doctor, should the air passages be affected.

After skin contact

Flush with plenty of water.

After eye contact

Flush with plenty of water (10 - 15 min.). Contact a doctor immediately.

After ingestion

Drink plenty of water. Do not induce vomiting. Contact a doctor immediately.

05. Fire-fighting measures

Suitable extinguishing media

Water fog, carbon dioxide, foam, dry chemicals, Extinguishing powder.

Unsuitable extinguishing media

Not known

Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged

Cool containers in the vicinity of the blaze using a water spray.

Special protective equipment

When extinguishing fires, use breathing apparatus with an independent source of air.

06. Accidental release measures

Personal precautions

Wear suitable protective clothing, gloves and eye/face protection.

Environmental precautions

Prevent from flowing into surface water/ground water.

Methods for cleaning up/collecting

Take up with a mechanical source and proceed according to the waste disposal regulations. Clean up with absorbent material such as sawdust, diatomaceous earth or universal absorbents.

Dispose of according to local and national regulations.

Do not allow to flow off into the drains or waters.

Additional information

Prevent skin and eye contact. Clean area with large amounts of water. Clean up with absorbent material.

07. Handling and storage

Information for safe handling

Containers to be opened and handled with care. Make sure that ventilation is adequate. Only adequately trained personnel should handle this product. Keep out of reach of children. Usual hygienic measures for dental practice

Information about protection against explosions and fires

No anti-explosion measures necessary.

Requirements to be met by storerooms and containers

Keep only in the original container. Store at 2-28 °C / 36-82 °F Do not store in open sunshine. Keep away from heat source.

Information about separation of incompatible products

Store the foodstuffs separately.

08. Exposure controls and personal protection

Dust in air may be explosive.

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Telio Lab LC Transparent Incisal and Base
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

Additional information about engineering measures

ACGIH (USA) Threshold Limit Value (TLV) is mg/m³ TWA (Time Weighted Average)-8 hours.
Hygienists, USA) Threshold Limit Value (TLV) is ppm (Ceiling).
Lower: Vol%
Upper: Vol%

Components with critical values that require monitoring at the workplace (exposure limits)

Specification : TWA (AUS)
Value : MAK ml/m³ (ppm) mg/m³

Personal protective equipment

Do not eat or drink during work - no smoking. Keep away from food, drink and animal feeding stuff.. Avoid contact with skin and eyes. Respiratory protection

Respiratory protection

Provide for good ventilation. In poorly ventilated areas, use air-purifying respiratory protection apparatus

Hand protection

Short-term exposure (< 30 min): disposable gloves, e.g. nitrile rubber, material thickness 0.1 mm (Australian Standard 2161).
Long-term exposure (Level 6: < 480 min): protective gloves, e.g. nitrile rubber, material thickness 0.7 mm (Australian Standard 2161). Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

Eye protection

Use tightly fitting safety glasses (Australian Standard AS 1336 and AS/NZS 1337). Eye wash fountain should be located in immediate work area.

Body protection

No particular measures required.

09. Physical and chemical properties

Image

Form : Paste
Colour : Off White to Cream
Odour : Practically Odourless

Relevant safety data

Melting point / range :	(1013 hPa)		Not determined	°C	
Boiling point / range :	(1013 hPa)	ca.	Not determined	°C	
Flash point :			Not determined	°C	DIN 51755
Ignition temperature :			Not determined	°C	
Viscosity			Not determined	mPas	
Vapour pressure			Not determined	mbar	
Density :	(20 °C)		1.64	g/cm ³	
Solubility in water :	(20 °C)		< 0.1	g/l.	
pH value :			Not determined		

10. Stability and reactivity

Conditions to avoid

None if used in accordance to instructions.

Materials to avoid

None, if used in accordance to instructions

Hazardous decomposition products

Product may decompose at elevated temperatures generating vapours which could be irritating (Methylmethacrylate).

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Telio Lab LC Transparent Incisal and Base
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

None, if used in accordance to instructions.

11. Toxicological information

Toxicological tests

Oral LD50 for rats: > 5000 mg/kg

Primary irritant effect

Uncured material: prolonged or frequently repeated skin contact may cause allergic skin reactions.

Sensitization

Cured material: Biological evaluation according to OECD principles and EEC directives no genotoxic nor cytotoxic nor allergic potential, no skin irritation

Experience on practice

Excessive exposure may cause eye and respiratory irritation.

12. Ecological information

Details on elimination (persistence / degradability)

Abiotal elimination

No data available.

Biological degradation / elimination

No data available.

Fate in environmental compartments

No ecological problems to be anticipated if properly handled and used. Nearly insoluble

Ecotoxicological effects

Performance in sewage-treatment plants

The product must not enter effluent, ground water, surface water or the soil. No ecological problems to be anticipated if properly handled and used. non soluble

13. Disposal considerations EU waste key20 01 39

Product

Concentrate: The cleaned-up material must be disposed of in accordance with Federal, State or Local regulations.

Contaminated packaging

Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant. Uncleaned packaging must be disposed of in the same manner as the medium.

14. Transport information

Land transport ADG

Classification

Class :	-	ADR	
		UN Number	RID
		Packing Group	Kemler Number
		shipping name	

Maritime transport IMDG

Classification

IMDG-Code :	-	ADNR	
		EMS UN Number	
		Packing Group	IMDG
		shipping name	MFAG

EMS F-E, S-D

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Telio Lab LC Transparent Incisal and Base
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

Air transport ICAO-TI and IATA-DGR

Classification

ICAO / IATA-DGR
Class
Proper shipping name
Methyl methacrylates
monomer, stabilized
Packing Instructions
Packing Instructions

Class : UN Number
Packing Group Packing Instructions
Instructions Packing Group
Passenger airplane
max
Cargo Airplane Max
Further information
Sample shipment not
allowed by mail.
Labels

15. Regulatory information

Classification

Danger symbol and danger designation



Xi: Irritant. Contains dimethacrylates

Hazard-determining components of labelling

None : MAK value ml/m³ (ppm) mg/m³

R-phrases

11 Highly flammable.
43 May cause sensitisation by skin contact.
36/37/38 Irritating to eyes, respiratory system and skin.

S-phrases

2 Keep out of the reach of children.
9 Keep container in a well-ventilated place.
16 Keep away from sources of ignition - No smoking.
24/25 Avoid contact with skin and eyes.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical
28 advice .
29 Do not empty into drains
33 Take precautionary measures against static discharge.
37/39 After contact with skin, wash immediately with plenty of water and soap.
Wear suitable gloves and eye/face protection.

16. Other information

Processing instructions / technical data sheets

Please observe the label/directions for use!

Further information

This is a medical device classified under the requirements of EU and TGA .

Contact

Dr. Peter Lobo

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.