

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Tetric N-Flow
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

01. Identification of substance, preparation and company

Product name : Ivoclar Vivadent Tetric N-Flow
Use of the substance / preparation : Highly dispersed hybrid composite
Manufacturer/Supplier : Ivoclar Vivadent AG
Street/P.O.Box : Benderstrasse 2 FL-9494
Country code/Postal code/Town/City : D-Schaan Fürstentum Liechtenstein
Telephone : +423/235 35 35
Telefax : +432/235 33 60
Distributor : Ivoclar Vivadent P/L (Australia), 1-5 Overseas Drive, Noble Park North, Victoria 3174
Phone No.: +61-3 9795 9599, Tele fax No.: +61-3 9795 9645
Emergency information : Poisons Information Centre: Dial 13 11 26
24 hours a day, 7 days a week Australia wide

02. Hazards identification

Statement of Hazardous Nature

This product is not classified as: Hazardous according to criteria of National Occupational Health and Safety Commission.
Non-Dangerous Goods according to ADG.

Hazard designation

Classification : Not classified
ADG Classification: not classified
UN Number: 1247

Particular information pertaining specific risk for human and environment

Uncured material: May cause sensitization by skin contact. Direct contact may cause eye and skin irritation.

03. Composition/information on ingredients

Chemical characterization

Paste of dimethacrylates, inorganic fillers, ytterbiumtrifluoride, initiators, stabilizers and pigments

Hazardous components

< 40 % Dimethacrylates (CAS No. 1565-94-2, 109-16-0 and 72869- 86-4)
R36/38: Irritating to eyes and skin.

Hazards identification

Uncured material: Direct contact can cause eye and skin irritation. The material is contraindicated if a person is known to be allergic to any of the ingredients of the product.

04. First-aid measures

General

Immediately remove all contaminated clothing.

After inhalation

Let in fresh air. Call a doctor, should the air passages be affected.

After skin contact

Flush with plenty of water.

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Tetric N-Flow
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

After eye contact

Flush with plenty of water (10 - 15 min.). Contact a doctor immediately.

After ingestion

Drink plenty of water. Do not induce vomiting. Contact a doctor immediately.

05. Fire-fighting measures

Suitable extinguishing media

Water fog, carbon dioxide, foam, dry chemicals, Extinguishing powder.

Unsuitable extinguishing media

Not known

Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged

Cool containers in the vicinity of the blaze using a water spray.

Special protective equipment

When extinguishing fires, use breathing apparatus with an independent source of air.

06. Accidental release measures

Personal precautions

Wear suitable protective clothing, gloves and eye/face protection.

Environmental precautions

Prevent from flowing into surface water/ground water.

Methods for cleaning up/collecting

Take up with a mechanical source and proceed according to the waste disposal regulations. Clean up with absorbent material such as sawdust, diatomaceous earth or universal absorbents.

Dispose of according to local and national regulations.

Do not allow to flow off into the drains or waters.

Additional information

Prevent skin and eye contact. Clean area with large amounts of water. Clean up with absorbent material.

07. Handling and storage

Information for safe handling

Containers to be opened and handled with care. Make sure that ventilation is adequate. Only adequately trained personnel should handle this product. Keep out of reach of children. Usual hygienic measures for dental practice

Information about protection against explosions and fires

No anti-explosion measures necessary.

Requirements to be met by storerooms and containers

Keep only in the original container. Store at 2-28 °C / 36-82 °F Do not store in open sunshine. Keep away from heat source.

Information about separation of incompatible products

Store the foodstuffs separately.

08. Exposure controls and personal protection

Additional information about engineering measures

MAK (Maximale Arbeitsplatzkonzentration, Germany) is 50 ppm.

ACGIH (American Conference of Governmental Industrial) Producer Industry recommends an exposure limit of mg/m3. Hygienists, USA) Threshold Limit Value (TLV) is 100 ppm (Ceiling).

Lower: Vol%

Upper: Vol%

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Tetric N-Flow
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

Components with critical values that require monitoring at the workplace (exposure limits)

Dust and Vapours

Specification : TWA (AUS)
Value : MAK ml/m³ (ppm) mg/m³

Personal protective equipment

Do not eat or drink during work - no smoking. Keep away from food, drink and animal feeding stuff.. Avoid contact with skin and eyes. Respiratory protection

Respiratory protection

Provide for good ventilation. In poorly ventilated areas, use air-purifying respiratory protection apparatus

Hand protection

Short-term exposure (< 30 min): disposable gloves, e.g. nitrile rubber, material thickness 0.1 mm (Australian Standard 2161). Long-term exposure (Level 6: < 480 min): protective gloves, e.g. nitrile rubber, material thickness 0.7 mm (Australian Standard 2161). Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Check penetration time for the specific gloves used with the glove manufacturer. Solvent resistant gloves.

Eye protection

Use tightly fitting safety glasses (Australian Standard AS 1336 and AS/NZS 1337). Eye wash fountain should be located in immediate work area.

Body protection

No particular measures required.

09. Physical and chemical properties

Image

Form : Paste
Colour : Off white to cream
Odour : Practically odourless

Relevant safety data

Melting point / range :	(1013 hPa)		Not determined	°C	
Boiling point / range :	(1013 hPa)	ca.	Not determined	°C	
Flash point :			>150	°C	DIN 51755
Ignition temperature :			Not determined	°C	
Viscosity			Not determined	mPas	
Vapour pressure				mbar	
Density :	(20 °C)		1.83-1.96	g/cm ³	
Solubility in water :	(20 °C)		<0.1	g/l.	
pH value :			Not measured		

10. Stability and reactivity

Conditions to avoid

None, if used in accordance to instructions.

Materials to avoid

None, if used in accordance to instructions

Hazardous decomposition products

Avoid exposure of product to light. None, if used in accordance to instructions

11. Toxicological information

Toxicological tests

Oral LD50 for rats: > 5'000 mg/kg

Primary irritant effect

Uncured material: prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals.

Sensitization

Material Safety Data Sheet

according to NOHSC:2011(2003)



Product name : Ivoclar Vivadent Tetric N-Flow
Statement of Hazardous Nature : This product is classified as: Non Hazardous according to criteria of National Occupational Health and Safety Commission.
Revision : 25.11.2010 **Version :** 1.0.0
Print date : 25.11.2010

Labels

15. Regulatory information

Classification

Danger symbol and danger designation



Xi : Irritant.Contains, Dimethacrylates

Hazard-determining components of labelling

None : MAK value 50 ml/m³ (ppm) 210 mg/m³

R-phrases

11 Highly flammable.
43 May cause sensitisation by skin contact.
36/37/38 Irritating to eyes, respiratory system and skin.

S-phrases

2 Keep out of the reach of children.
9 Keep container in a well-ventilated place.
16 Keep away from sources of ignition - No smoking.
24/25 Avoid contact with skin and eyes.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical
28 advice .
29 Do not empty into drains
33 Take precautionary measures against static discharge.
37/39 After contact with skin, wash immediately with plenty of water and soap.
Wear suitable gloves and eye/face protection.

16. Other information

Processing instructions / technical data sheets

Please observe the label/directions for use!

Further information

This is a medical device classified under the requirements of EU and TGA .

Contact

Dr. Peter Lobo

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.