Trade name :	FD 366 sensitive wipes Disinfection	of sensitve surfaces	
Revision :	29.07.2019	Version :	1.0.0
Print date :	31.07.2019		

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

FD 366 sensitive wipes Disinfection of sensitve surfaces

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

FD 366 sensitive wipes are suitable for the rapid disinfection and cleaning of sensitive surfaces of medical devices.

Product Categories [PC]

Product Categories [PC] PC0 - PC 0 - Other

Disinfectants

Uses advised against

None, if handled according to order.

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

orochemie GmbH + Co. KG

Street : Max-Planck-Straße 27

Postal code/city: 70806 Kornwestheim

Telephone : +49 7154 1308-0

Telefax : +49 7154 1308-40

Information contact : DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com in Australia: DÜRR DENTAL SE, PO Box 2067, Woonona East New South Wales 2517, Australia, Louis Manera +61 (0)412 95 95 25 Importer/Distributor: Ivoclar Vivadent Ltd, PO Box 303011, North Harbour, Auckland, 0751. Phone +64 9 914 9999 Fax+64 9 914 9990

1.4 Emergency telephone number

NZ: National Poison Centre (New Zealand) 0800 764 766 Poisons Hotline (24 hours/7days)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to GHS

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation. **Classification procedure**

The classification was carried out according to the calculation method of GHS as well as in-house investigations.

2.2 Label elements

Labelling according to GHS

Hazard pictograms



Trade name :	FD 366 sensitive wipes Disinfection of sensitve surfaces		
Revision :	29.07.2019	Version :	1.0.0
Print date :	31.07.2019		

	Warning	
	Hazard statements	
	H319	Causes serious eye irritation.
	Precautionary state	ments
	P280	Wear protective gloves and eye/face protection.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	P501	Dispose of contents/container to hazardous or special waste collection point.
2.3	Other hazards	

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

FD 366 sensitive wipes contain alcohols, quaternary ammonium compounds and auxiliary agents in aqueous solution. Hazardous ingredients

1-PROPANOL ; REACH registration No. : 01-2119486761-29 ; EC No. : 200-746-9; CAS No. : 71-23-8Weight fraction : $\geq 15 - < 20 %$ Classification :Flam. Liq. 2 ; H225 Eye Dam. 1 ; H318 STOT SE 3 ; H336DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; REACH registration No. : 012119970550-39 ; EC No. : 287-089-1; CASNo. : 85409-22-9Weight fraction :< 0,25 %</td>Classification:Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400
Aquatic Chronic 1 ; H410

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

No special measures are necessary.

In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

No special measures are necessary. Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Trade name :	FD 366 sensitive wipes Disinfection of sensitve surfaces		
Revision :	29.07.2019	Version :	1.0.0
Print date :	31.07.2019		

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder Water spray Water mist The product itself does not burn. Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture None known.

Hazardous combustion products

None known.

5.3 Advice for firefighters

Adapt protective equipment to surrounding fire.

Special protective equipment for firefighters

Adapt protective equipment to surrounding fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See protective measures under point 7 and 8.

For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

For emergency responders

Personal protection equipment

See protective measures under point 7 and 8.

6.2 Environmental precautions

No special environmental measures are necessary.

6.3 Methods and material for containment and cleaning up

For cleaning up

No special measures are necessary.

Other information

Dispose of used cloths in the household waste - do not throw them down the toilet.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum.

Protective measures

Measures to prevent fire

Usual measures for fire prevention. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed. Keep containers in a well-ventilated place. Do not store in temperatures below 5 °C.

Hints on joint storage

Store the foodstuffs separately.

7.3 Specific end use(s)

None

Trade name : Revision : Print date : FD 366 sensitive wipes Disinfection of sensitve surfaces 29.07.2019 31.07.2019

Version :

1.0.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters DNEL/DMEL and PNEC values There are no data available on the preparation itself. DNEL/DMEL Limit value type : DNEL Consumer (systemic) (1-PROPANOL ; CAS No. : 71-23-8) Exposure route : Inhalation Short-term (acute) Exposure frequency : Limit value : 1036 mg/m³ Limit value type : DNEL Consumer (systemic) (1-PROPANOL ; CAS No. : 71-23-8) Exposure route : Dermal Exposure frequency : Long-term (repeated) Limit value : 81 mg/kg Limit value type : DNEL Consumer (systemic) (1-PROPANOL ; CAS No. : 71-23-8) Exposure route : Inhalation Long-term (repeated) Exposure frequency : Limit value : 80 mg/m³ DNEL Consumer (systemic) (1-PROPANOL ; CAS No. : 71-23-8) Limit value type : Exposure route : Oral Long-term (repeated) Exposure frequency : Limit value : 61 mg/kg Limit value type : DNEL worker (systemic) (1-PROPANOL ; CAS No. : 71-23-8) Exposure route : Inhalation Short-term (acute) Exposure frequency : Limit value : 1723 mg/m³ DNEL worker (systemic) (1-PROPANOL ; CAS No. : 71-23-8) Limit value type : Exposure route : Dermal Exposure frequency : Long-term (repeated) Limit value : 136 mg/kg DNEL worker (systemic) (1-PROPANOL ; CAS No. : 71-23-8) Limit value type : Exposure route : Inhalation Long-term (repeated) Exposure frequency : Limit value : 268 mg/m³ PNEC Limit value type : PNEC (Aquatic, freshwater) (1-PROPANOL ; CAS No. : 71-23-8) Limit value : 10 mg/l PNEC (Aquatic, marine water) (1-PROPANOL ; CAS No. : 71-23-8) Limit value type : Limit value : 1 mg/l Limit value type : PNEC (Industrial) (1-PROPANOL ; CAS No. : 71-23-8) Exposure route : Soil Limit value : 2,2 mg/kg Limit value type : PNEC (Sediment, freshwater) (1-PROPANOL ; CAS No. : 71-23-8) Limit value : 22,8 mg/kg Limit value type : PNEC (Sediment, marine water) (1-PROPANOL; CAS No.: 71-23-8) Limit value : 2,28 mg/kg PNEC (Sewage treatment plant) (1-PROPANOL ; CAS No. : 71-23-8) Limit value type : Water (Including sewage plant) Exposure route : Limit value : 96 mg/l 8.2 Exposure controls Personal protection equipment

Eye/face protection

Eye glasses with side protection Use tightly fitting safety glasses as per Australian Standard AS 1336 and AS/NZS 1337. Safety glasses with side

Page : 4 / 11

Trade name :	FD 366 sensitive wipes Disinfection of sensitve surface	ces	
Revision :	29.07.2019	Version :	1.0.0
Print date :	31.07.2019		

shields

Skin protection

Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Wear impervious rubber gloves (AS2161).

Body protection

Body protection: not required.

Respiratory protection

No special measures are necessary.

General health and safety measures

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

Occupational exposure controls

Technical measures to prevent exposure

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Appearance :	wipes				
	Colour :	white				
	Odour :	Alcohol				
	Safety relevan	t basis dat	a			
	Melting point/melt	ing range :	(1013 hPa)	not applicable		
	Initial boiling point range :	t and boiling	(1013 hPa)	not applicable		
	Decomposition tem	perature :	(1013 hPa)	not applicable		
	Flash point :			not applicable		
	Ignition temperatu	ire :		not applicable		
	Lower explosion lin	nit :		not applicable		
	Upper explosion lin	nit :		not applicable		
	Density :		(20 °C)	none		
	Solvent separation	test :	(20 °C)	not applicable		
	Water solubility :		(20 °C)	not relevant		
	pH value :			not applicable		
	log P O/W :			not applicable		
	Flow time :		(20 °C)	not applicable		DIN-cup 4 mm
	Odour threshold :			not determined		
	Maximum VOC con	tent (EC) :		17	Wt %	
	Flammable solids :		Not fulfilling criteria for	hazard class "Flammable Solids"		
	Oxidising liquids :		Not applicable.			
	Explosive propertie	es :	Not applicable.			
	Corrosive to metals	5:	Not corrosive to metals			
9.2	Other informat	ion				

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Trade name :	FD 366 sensitive wipes Disinfection of sensitve surfaces		
Revision :	29.07.2019	Version :	1.0.0
Print date :	31.07.2019		

None, if handled according to order.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3 Possibility of hazardous reactions

None, if handled according to order. **10.4 Conditions to avoid**

No information available.

10.5 Incompatible materials No information available.

10.6 Hazardous decomposition products None known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Concentrate:	
Acute effects	
Acute oral toxicity	
Parameter :	LD50
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg
Method :	OECD 423
Parameter :	ATEmix calculated
Exposure route :	Oral
Effective dose :	not relevant
Parameter :	ATE (DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9)
Exposure route :	Oral
Effective dose :	500 mg/kg
Practical experience/h	uman evidence
There is no inhalation ris	k under normal application conditions.
Acute dermal toxicity	
Parameter :	LD50
Exposure route :	Dermal
Species :	Rat
Effective dose :	> 2000 mg/kg
Method :	OECD 402
Parameter :	ATEmix calculated
Exposure route :	Dermal
Effective dose :	not relevant
Acute inhalation toxicity	1
Parameter :	ATEmix calculated
Exposure route :	Inhalation (vapour)
Effective dose :	not relevant
Parameter :	LC50 (1-PROPANOL ; CAS No. : 71-23-8)
Exposure route :	Inhalation
Species :	Rat
Effective dose :	> 33,8 mg/l
Exposure time :	4 h
Method :	OECD 403
Irritant and corrosiv	ve effects
Causes serious eve irritation	

Causes serious eye irritation. OECD 437.

Trade name :	FD 366 sensitive wipes Disinfection of sensitve surfaces		
Revision :	29.07.2019	Version :	1.0.0
Print date :	31.07.2019		

Sensitisation

No data available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) No information available.

11.5 Additional information

The classification was carried out according to the calculation method of GHS as well as in-house investigations.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity	
There are no data available on t	the preparation itself.
Acute (short-term) fish toxi	city
Parameter :	LC50 (1-PROPANOL ; CAS No. : 71-23-8)
Species :	Pimephales promelas (fathead minnow)
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	4480 mg/l
Exposure time :	96 h
Parameter :	LC50 (DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9)
Species :	Pimephales promelas (fathead minnow)
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	0,28 mg/l
Exposure time :	96 h
Parameter :	LC50 (DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9)
Species :	Oncorhynchus mykiss (Rainbow trout)
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	0,85 mg/l
Exposure time :	96 h
Method :	OECD 203
Chronic (long-term) fish tox	licity
Parameter :	NOEC (DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9)
Species :	Pimephales promelas (fathead minnow)
Evaluation parameter :	Chronic (long-term) fish toxicity
Effective dose :	0,032 mg/l
Exposure time :	816 h
Acute (short-term) daphnia	•
Parameter :	EC50 (1-PROPANOL ; CAS No. : 71-23-8)
Species :	Daphnia magna (Big water flea)
Evaluation parameter :	Acute (short-term) daphnia toxicity
Effective dose :	3644 mg/l
Exposure time :	48 h
Parameter :	EC50 (DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9)
Species :	Daphnia magna (Big water flea)
Evaluation parameter :	Acute (short-term) daphnia toxicity
Effective dose :	0,016 mg/l
Exposure time :	48 h
Chronic (long-term) daphnia	-
Parameter :	NOEC (1-PROPANOL; CAS No.: 71-23-8)
Species :	Daphnia magna (Big water flea)
Evaluation parameter :	Chronic (long-term) daphnia toxicity
Effective dose :	> 100 mg/l
Exposure time :	504 h
Method : Parameter :	
	NOEC (DODECYLDIMETHYLBENZYLAMMONIUM CHLORIDE ; CAS No. : 85409-22-9)

Page : 7 / 11

Trade name :		ive wipes Disinfection of sensitve surfaces		
Revision :	29.07.2019		Version :	1.0.0
Print date :	31.07.2019			
Species :		Daphnia magna (Big water flea)		
Evaluation paramet	er:	Chronic (long-term) daphnia toxicity		
Effective dose :		0,0042 mg/l		
Exposure time :		504 h		
Acute (short-term)) algae toxici	ty		
Parameter :	-	EC50 (1-PROPANOL ; CAS No. : 71-23-8)	
Species :		Scenedesmus subspicatus		
Evaluation paramet	er:	Inhibition of growth rate		
Effective dose :		3100 mg/l		
Exposure time :		168 h		
Parameter :		EC50 (DODECYLDIMETHYLBENZYLAMM	ONIUM CHLORIDE ; CAS No. :	85409-22-9)
Species :		Pseudokirchneriella subcapitata		
Evaluation paramet	er:	Acute (short-term) algae toxicity		
Effective dose :		0,02 mg/l		
Exposure time :		72 h		
Method :		OECD 201		
Chronic (long-tern	n) algae toxi	city		
Parameter :		NOEC (1-PROPANOL ; CAS No. : 71-23-8	3)	
Species :		Algae		
Evaluation paramet	er:	Chronic (long-term) algae toxicity		
Effective dose :		1150 mg/l		
Exposure time :		48 h		
Bacteria toxicity				
Parameter :		EC50 (1-PROPANOL ; CAS No. : 71-23-8)	
Species :		Pseudomonas putida	,	
Evaluation paramet	er:	Bacteria toxicity		
Effective dose :		2700 mg/l		
Exposure time :		16 h		
Parameter :		EC50 (DODECYLDIMETHYLBENZYLAMMO	ONIUM CHLORIDE : CAS No. :	85409-22-9)
Evaluation paramet	er :	Bacteria toxicity		
Effective dose :		7,75 mg/l		
Exposure time :		3 h		
Method :		OECD 209		
2.2 Persistence and	dogradabi			
	-	iity		
Abiotic degrada	tion			
No data available.				
Biodegradation				
-	biodegradable	e (according to OECD criteria).		
2.3 Bioaccumulative	-			
	•			
No information availab	le.			
2.4 Mobility in soil				
Known or predie	cted distri	bution to environmental com	partments	
Wipes: No data avail			•	
Adsorption/Des				
-	-	· · · · · · ·		
2.5 Results of PBT a		ssessment		
No information availab	le.			
2.6 Other adverse ef	fects			
No information availab				
2.7 Additional ecoto		information		
Do not allow to enter i	-			
	nto curtaco wa	TOT OF GROUPS		

SECTION 13: Disposal considerations

Trade name :	FD 366 sen
Revision :	29.07.2019
Print date :	31.07.2019

FD 366 sensitive wipes Disinfection of sensitve surfaces 29.07.2019

1.0.0

13.1 Waste treatment methods

Product/Packaging disposal

Waste treatment options

Appropriate disposal / Product

Dispose according to legislation. Dispose of used cloths in the household waste - do not throw them down the toilet. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Contact a specialist disposal company or the local waste regulator for advice. This should be done in accordance with 'The Hazardous Waste Act'. Can be eliminated with domestic garbage on condition it complies with local regulations.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

EPA NZ Classes of hazardous properties class 4—flammable solids NZ HSNO Approval: HSR001215: 1-Propanol

Restrictions of occupation

According to directive 94/33/EC, juveniles are only allowed to handle this product as long as all effects of dangerous substances are prevented.

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

None

16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimates

CAS = Chemical Abstracts Service

Trade name :	FD 366 sensitive wipes Disinfection of sensitve surfaces		
Revision :	29.07.2019	Version :	1.0.0
Print date :	31.07.2019		

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CMR = Carcinogen, Mutagen or Reproductive toxicant CO₂ = Carbon dioxide DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EC = European Commission EC50 = Half maximal effective concentration EN = European Standard (Norm) EU = European Union EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals H statement = GHS Hazard statement IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions IMDG = International Maritime Dangerous Goods LC50 = Median lethal concentration LD50 = Median lethal dose LogPow = Logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NOEC/NOEL = No observed effect concentration/level OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RMM = Risk Management Measure RRN = REACH Registration Number STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure SVHC = Substances of Very High Concern TLV/STEL = Threshold limit value/short-term exposure limit TLV/TWA = Threshold limit value/time weighted average UN = United Nations VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative 16.3 Key literature references and sources for data Standard EN420:2003 General requirements for protective gloves: disposable gloves, e.g. nitrile rubber, material thickness 0.1 mm (Australian Standard 2161). Long-term exposure (Level 6: < 480 min): protective gloves, e.g. nitrile rubber, material thickness 0.7 mm (Australian Standard 2161). Personal eye protection - Eye and face protectors for occupational applications: safety glasses (Australian Standard AS 1336 and AS/NZS 1337.1:2010). 16.4 Classification for mixtures and used evaluation method according to GHS No information available. 16.5 Relevant H- and EUH-phrases (Number and full text) H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. 16.6 Training advice None 16.7 Additional information

Trade name :	FD 366 sensitive wipes Disinfection of sensitve surfaces		
Revision :	29.07.2019	Version :	1.0.0
Print date :	31.07.2019		

Notice the directions for use on the label.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.