ivoclar

Safety Data Sheet in accordance with HSNO

Version number 6 Revision: 12.12.2019 Printing date 12.05.2023 1 Identification of the substance or mixture and of the supplier · Product identifier Trade name: IPS InLine: Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Margin, Add-On Margin, Add-On · CAS Number: 66402-68-4 · EC number: 266-340-9 · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Manufacture of dental prothesis • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 9494 Schaan PRINCIPALITY OF LIECHTENSTEIN Tel: +423 235 35 35 / Fax: +423 235 33 60 Importer: Ivoclar Vivadent Ltd. 12 Omega St, Rosedale, Auckland New Zealand Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990 · Further information obtainable from: **Regulatory** Affairs sds@ivoclarvivadent.com • Emergency telephone number: 0800 764 766 (National Poison Centre - 24 hours / 7 days) **2** Hazards identification Classification of the substance or mixture The substance is not classified, according to the Globally Harmonised System (GHS). · Label elements · GHS label elements Void · Hazard pictograms Void · Signal word Void · Hazard statements Void · Other hazards Dust generation Particular danger of slipping on leaked/spilled product. · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/Information on ingredients

- · Chemical characterisation: Substances
- · CAS No. Description
- 66402-68-4 ceramic materials

(Contd. on page 2)

NZ

Printing date 12.05.2023

Version number 6

Revision: 12.12.2019

(Contd. of page 1)

Trade name: IPS InLine: Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Margin, Add-On Margin, Add-On

· Identification number(s)

• EC number: 266-340-9

4 First aid measures

- · General information: No special measures required.
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- Rinse with water.
- Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Mechanical effects only.

- After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire fighting measures

- · Suitable extinguishing agents:
- The product is not flammable.
- Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.*
- Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up: Pick up mechanically.*
- *Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Only adequately trained personnel should handle this product.

(Contd. on page 3)

Printing date 12.05.2023

Version number 6

Revision: 12.12.2019

(Contd. of page 2)

Trade name: IPS InLine: Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Margin, Add-On Margin, Add-On

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection: No special measures required.

· Storage:

• **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in dry conditions.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Do not inhale dust / smoke / mist.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- **Protection of hands:** Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection: Safety glasses*

9 Physical and chemical properties

General Information
· Appearance:

· Form:	Powder
· Colour:	According to product specification
· Odour:	Odourless
• Odour threshold:	Not determined.
· pH-value:	Not applicable.
Change in condition	
• Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Product is not flammable.
• Auto-ignition temperature:	Not determined.

(Contd. on page 4)

NZ

Printing date 12.05.2023

Version number 6

Revision: 12.12.2019

Trade name: IPS InLine: Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Margin, Add-On Margin, Add-On

• Other information	No further relevant information available.	
Kinematic:	Not applicable.	
Dynamic:	Not applicable.	
Viscosity:		
Partition coefficient: n-octanol/water:	Not determined.	
water:	Insoluble.	
Solubility in / Miscibility with		
Evaporation rate	Not applicable.	
Vapour density	Not applicable.	
Relative density	Not determined.	
Density:	Not determined.	
Vapour pressure:	Not applicable.	
Upper:	Not determined.	
Lower:	Not determined.	
Explosion limits:		
Explosive properties:	Product does not present an explosion hazard.	
		(Contd. of page

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Mechanical effects only.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information: No further relevant information available.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

(Contd. on page 5)

NZ

Printing date 12.05.2023

Version number 6

Revision: 12.12.2019

Trade name: IPS InLine: Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Margin, Add-On Margin, Add-On

(Contd. of page 4)

· *Mobility in soil* No further relevant information available.

• Additional ecological information:

• General notes: Not hazardous for water.

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*

14 Transport information

· UN-Number · NZS/RID/ADN, ADN, IMDG, IATA	Void
· UN proper shipping name · NZS/RID/ADN, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· NZS/RID/ADN, ADN, IMDG, IATA · Class	Void
· Packing group · NZS/RID/ADN, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of and the IBC Code	f Marpol Not applicable.
· Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

Substance is listed.

· HSNO Approval numbers

Substance is not listed.

(Contd. on page 6)

NZ

Printing date 12.05.2023

Version number 6

Revision: 12.12.2019

Trade name: IPS InLine: Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Margin, Add-On Margin, Add-On

(Contd. of page 5)

- · GHS label elements Void
- · Hazard pictograms Void

· Signal word Void

• Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· National regulations:

• Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

• * Data compared to the previous version altered.