

according to Regulation (EC) No 1907/2006

# **Primo Adhesive**

Revision date: 18.12.2020 Product code: 10227 Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Primo Adhesive

UFI: 21AW-E0PY-E00E-V691

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesive for denture relinings for use in dentistry.

## 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DETAX GmbH & Co. KG
Street: Carl-Zeiss-Strasse
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

e-mail: post@detax.de
Internet: www.detax.de
Responsible Department: Emergency number:

+49 7243/510-0

This number is only obtainable during office hours (Monday - Thursday 8.00 a.m.

- 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

Importer / Distributer

Company name: Ivoclar Vivadent Ltd

Place: PO Box 303011, North Harbour, Auckland, 0751

Telephone: +64 9 914 9999 Telefax: Fax: +64 9 914 9990

e-mail: info@ivoclarvivadent.com

**1.4** Emergency telephone 0800 764 766

number: Poisons Hotline (24 hours / 7 days) NZ: National Poison Centre (New Zealand)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Hazard Statements:

Highly flammable liquid and vapour.

# 2.2. Label elements

## Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



### **Hazard statements**

H225 Highly flammable liquid and vapour.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.



according to Regulation (EC) No 1907/2006

Primo Adhesive						
Revision date: 18.12.2020	Product code: 10227	Page 2 of 7				
P240	Ground and bond container and receiving equipment.					
P241	Use explosion-proof electrical/ventilating/lighting equipment.					
P242	Use non-sparking tools.					
P243	Take action to prevent static discharges.					
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.					
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.					
P370+P378	In case of fire: Use Carbon dioxide (CO2), Foam, Extinguishing powder to extinguish.					
P403+P235	Store in a well-ventilated place. Keep cool.					
P501	Dispose of contents/container to according to local and applicable legislation of dispose of waste.					

## 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixture of alkoxysilane derivatives.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

## Unsuitable extinguishing media

Water.

## 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.





according to Regulation (EC) No 1907/2006

## **Primo Adhesive**

Revision date: 18.12.2020 Product code: 10227 Page 3 of 7

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

# 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

# Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

### 7.3. Specific end use(s)

Adhesive for silicone based denture relinings.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

# Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

## Eye/face protection

Wear eye/face protection.

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)



according to Regulation (EC) No 1907/2006

# **Primo Adhesive**

Revision date: 18.12.2020 Product code: 10227 Page 4 of 7

## Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

# Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid:
Colour: colourless
Odour: aromatic

**Test method** 

pH-Value: not determined

Changes in the physical state

Melting point: not determined

Initial boiling point and boiling range: 135-140 °C DIN 51356 Flash point: 12 °C DIN 51755

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Ignition temperature: >260 °C DIN 51794

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: >120 °C

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: 2,5 hPa

(at 20 °C)

Vapour pressure: 1100 hPa

(at 50 °C)

Density (at 20 °C): 0,94 g/cm³ DIN 51757

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: 1,3 mPa·s BROOKFIELD

(at 23 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

DETAX GmbH & Co. KG



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **Primo Adhesive**

Revision date: 18.12.2020 Product code: 10227 Page 5 of 7

### 10.1. Reactivity

Flammable, Ignition hazard.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Reacts with: oxiidising agents, spontaneously flammable or combustible materials. Slow decomposition in water

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

In case of hydrolysis, methanol is released.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found. In products with a comparable composition a LD50 (intracutaneous, species rabbit) of >2000 mg/kg has been found.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

The product is not: Ecotoxic.

# 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

## 12.6. Other adverse effects

No information available.



according to Regulation (EC) No 1907/2006

## **Primo Adhesive**

Revision date: 18.12.2020 Product code: 10227 Page 6 of 7

### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number:	UN 1866			
14.2. UN proper shipping name:	Resin solution			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	II			
Hazard label:	3			

Hazard label: 3
Classification code: F1
Limited quantity: 5 L
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

### Other applicable information (land transport)

Flammable licquid

## Marine transport (IMDG)

14.1. UN number:	UN 1866
14.2. UN proper shipping name:	Resin solution

 14.3. Transport hazard class(es):
 3

 14.4. Packing group:
 II

 Hazard label:
 3

 Marine pollutant:

 Special Provisions:

## Other applicable information (marine transport)

Flash point: 12°C c.c.

# Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	UN 1866
14.2. UN proper shipping name:	Resin solution

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Special Provisions:A3Limited quantity Passenger:1 L/ 30 kgPassenger LQ:Y341

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364



according to Regulation (EC) No 1907/2006

**Primo Adhesive** 

Revision date: 18.12.2020 Product code: 10227 Page 7 of 7

IATA-max. quantity - Cargo:

60 L

### 14.6. Special precautions for user

Warning: Combustible liquid.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

### Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

## National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Gewerblich	-	-	-	-	-	-	-	2

PC: Product categories
ERC: Environmental release categories

PROC: Process categories
AC: Article categories

SU: Sectors of use

TF: Technical functions

LCS: Life cycle stages

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)