Trade name : Revision date : Print date :	VistaScan Image plate cleaning wipe 27.04.2021 27.04.2021	Version :	1.0.0
SECTION 1. Idea	tification of the substance (mix	ture and of the company (under	aking

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

VistaScan Image plate cleaning wipe

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

VistaScan image plate cleaning wipes are ideal for cleaning image plates.

Products Category [PC]

PC 35 - Washing and cleaning products

Uses advised against

None, if handled according to order.

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor)

orochemie GmbH + Co. KG

Street : Max-Planck-Straße 27

Postal code/city: 70806 Kornwestheim

Telephone : +49 7154 1308-0

Telefax : +49 7154 1308-40

Information contact : DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com

in Australia: DÜRR DENTAL SE, PO Box 2067, Woonona East New South Wales 2517, Australia, Louis Manera +61 (0)412 95 95 25 Importer/Distributor:

Ivoclar Vivadent Ltd, PO Box 303011, North Harbour, Auckland, 0751. Phone +64 9 914 9999 Fax+64 9 914 9990

1.4 Emergency telephone number

NZ: National Poison Centre (New Zealand) 0800 764 766 Poisons Hotline (24 hours/7days)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to GHS

Flam. Sol. 1 ; H228 - Flammable solids : Category 1 ; Flammable solid.
Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.
STOT SE 3 ; H336 - STOT-single exposure : Category 3 ; May cause drowsiness or dizziness.
Classification procedure

The classification was carried out according to the calculation method of GHS.

2.2 Label elements

Labelling according to GHS

Hazard pictograms



Flame (GHS02) · Exclamation mark (GHS07) Signal word Danger

Page : 1 / 11

Trade name :	VistaScan Image plate cleaning wipe		
Revision date :	27.04.2021	Version :	1.0.0
Print date :	27.04.2021		

Hazard components for labelling

PROPAN-2-OL ; CAS N	lo. : 67-63-0
Hazard statements	
H228	Flammable solid.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Precautionary state	ements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P337+P313	If eye irritation persists: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

VistaScan Image Plate Cleaning Wipe contains alcohol. Hazardous ingredients PROPAN-2-OL ; REACH No. : 01-2119457558-25 ; EC No. : 200-661-7; CAS No. : 67-63-0 Weight fraction : 100 % Classification [GHS] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336 1 wipe contains: Additional information Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

No special measures are necessary.

In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

No special measures are necessary. Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed Causes serious eye irritation. May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Trade name : Revision date :	VistaScan Image plate cleaning wipe 27.04.2021	Version :	1.0.0
Print date :	27.04.2021		
Suitable ex	tinguishing media		
	r tinguishing media e (CO2) Extinguishing powder Water spray jet W	/ater mist	

Full water jet

5.2 Special hazards arising from the substance or mixture None known.

Hazardous combustion products None known.

5.3 Advice for firefighters

Adapt protective equipment to surrounding fire.

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove all sources of ignition. When using do not smoke. See protective measures under point 7 and 8.

For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

For emergency responders

Personal protection equipment

See protective measures under point 7 and 8.

6.2 Environmental precautions

No special environmental measures are necessary.

6.3 Methods and material for containment and cleaning up

For cleaning up

No special measures are necessary.

Other information

Dispose of used cloths in the household waste - do not throw them down the toilet.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Please note safety instructions and directions for use on the drum.

Protective measures

Measures to prevent fire

Usual measures for fire prevention. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Do not store in temperatures below 5 $^{\circ}$ C.

Hints on joint storage

Store the foodstuffs separately. Do not store together with oxidizing, self-igniting substances and highly flammable solid substances. Do not store together with highly flammable substances.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

Trade name :	VistaScan Image plate cleaning wipe		
Revision date :	27.04.2021	Version :	1.0.0
Print date :	27.04.2021		

8.1	Control parameters	
0	Occupational exposure lim	it values
	PROPAN-2-OL ; CAS No. : 67-63-0	iit values
	Limit value type (country of origin) :	
	Limit value :	500 ppm / 1230 mg/m ³
	Limit value type (country of origin) :	
	Limit value :	$400 \text{ ppm} / 983 \text{ mg/m}^3$
	DNEL-/PNEC-values	···· PP···· / ····· 3/····
	There are no data available on the p	renaration itself
	DNEL/DMEL	
	PROPAN-2-OL ; CAS No. : 67-63-0	
	Limit value type :	DNEL Consumer (systemic)
	Exposure route :	Dermal
	Exposure frequency :	Long-term
	Limit value :	319 mg/kg
	Safety factor :	24 h
	Limit value type :	DNEL Consumer (systemic)
	Exposure route :	Inhalation
	Exposure frequency :	Long-term
	Limit value :	89 mg/m ³
	Limit value type :	DNEL Consumer (systemic)
	Exposure route :	Oral
	Exposure frequency :	Long-term
	Limit value :	26 mg/kg
	Safety factor :	24 h
	Limit value type :	DNEL worker (systemic)
	Exposure route :	Dermal
	Exposure frequency :	Long-term
	Limit value :	888 mg/kg
	Safety factor :	24 h
	Limit value type :	DNEL worker (systemic)
	Exposure route :	Inhalation
	Exposure frequency : Limit value :	Long-term 500 mg/m ³
	PNEC	500 mg/m ²
	PROPAN-2-OL ; CAS No. : 67-63-0	
	Limit value type :	PNEC (Aquatic, freshwater)
	Limit value :	140,9 mg/l
	Limit value type :	PNEC (Aquatic, marine water)
	Limit value :	140,9 mg/l
	Limit value type :	PNEC (Industrial)
	Exposure route :	Soil
	Limit value :	28 mg/kg
	Limit value type :	PNEC (Sediment, freshwater)
	Limit value :	552 mg/kg
	Limit value type :	PNEC (Sediment, marine water)
	Limit value :	552 mg/kg
	Limit value type :	PNEC (Secondary poisoning)
	Limit value :	160 mg/kg
	Limit value type :	PNEC (Sewage treatment plant)
	Limit value :	2251 mg/l
8.2	Exposure controls	

8.2 Exposure controls

Page : 4 / 11

Trade name : VistaScan Image plate cleaning wipe **Revision date :** 27.04.2021 Version : 1.0.0 Print date : 27.04.2021

Personal protection equipment

Eye/face protection

No special measures are necessary.

Use tightly fitting safety glasses as per Australian Standard AS 1336 and AS/NZS 1337. Safety glasses with side shields

Skin protection

Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Wear impervious rubber gloves (AS2161).

Body protection

Body protection: not required.

Respiratory protection

No special measures are necessary.

General information

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

Other protection measures

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	• •	•	•
Appearance :	wipes		
Colour :	white		
Odour :	Alcohol		
Safety charact	eristics		
Melting point/free	zing point :	(1013 hPa)	not applicable
Initial boiling point range :	t and boiling	(1013 hPa)	not applicable
Decomposition tem Flash point :	perature :	(1013 hPa)	not applicable not relevant
Auto-ignition temp	erature :		Combustible
Lower explosion lin	nit :		not relevant
Upper explosion lin	nit :		not relevant
Vapour pressure :		(50 °C)	not relevant
Density :		(20 °C)	none
Solvent separation	test :	(20 °C)	not applicable
Water solubility :		(20 °C)	not relevant
pH value :			inapplicable
log P O/W :			not applicable
Flow time :		(20 °C)	not applicable
Odour threshold :			No data available
Oxidising solids :		Not applicable.	
Explosive propertie	es :	Not applicable.	
Corrosive to metals	5:	Not corrosive to metals.	
Other informat	ion		

None

9.2

SECTION 10: Stability and reactivity

DIN-cup 4 mm

Trade name :	VistaScan Image plate cleaning wipe		
Revision date :	27.04.2021	Version :	1.0.0
Print date :	27.04.2021		

10.1 Reactivity

None, if handled according to order.

10.2 Chemical stability None known.

10.3 Possibility of hazardous reactions None, if handled according to order.10.4 Conditions to avoid

No information available.

10.5 Incompatible materials No information available.

10.6 Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

Acute oral toxicity	
Parameter :	ATEmix calculated
Exposure route :	Oral
Effective dose :	not relevant
Parameter :	LD50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route :	Oral
Species :	Rat
Effective dose :	5280 mg/kg
Parameter :	LD50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route :	Oral
Species :	Rat
Effective dose :	5840 mg/kg
Method :	OECD 401
Practical experience/human ev	vidence
2-Propanol: irritating to mucous n	nembranes, narcotic effect.
Acute dermal toxicity	
Parameter :	ATEmix calculated
Exposure route :	Dermal
Effective dose :	not relevant
Parameter :	LD50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	12800 mg/kg
Parameter :	LD50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	13900 mg/kg
Method :	OECD 402
Acute inhalation toxicity	
Parameter :	ATEmix calculated
Exposure route :	Inhalation (dust/mist)
Effective dose :	not relevant
Parameter :	LC50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route :	Inhalation

Page : 6 / 11

Trade name : Revision data :	VistaScan Im	51 51	Varian .	1.0
Revision date : Print date :	27.04.2021 27.04.2021		Version :	1.0.
	27.0 1.2021			
Species :		Mouse		
Effective dose :		27,2 mg/l		
Exposure time :		4 h		
Parameter :		LC50 (PROPAN-2-OL ; CAS No. :	67-63-0)	
Exposure route :		Inhalation	,	
Species :		Rat		
Effective dose :		> 25 mg/l		
Exposure time :		6 h		
Method :		OECD 403		
Parameter :		LC50 (PROPAN-2-OL ; CAS No. :	67-63-0)	
Exposure route :		Inhalation		
Species :		Rat		
Effective dose :		72,6 mg/l		
Exposure time :		4 h		
Parameter :		LC50 (PROPAN-2-OL ; CAS No. :	67-63-0)	
Exposure route :		Inhalation (vapour)		
Species :		Rat		
Effective dose :		> 10000 ppm		
Exposure time :		6 h		
Parameter :		LD50 (PROPAN-2-OL ; CAS No. :	67-63-0)	
Exposure route :		Inhalation (vapour)		
Species :		Rat		
Effective dose :		47,5 mg/l		
Corrosion				
Causes serious eye i	rritation.			
Skin corrosion/irr	itation			
Based on available	data, the class	ification criteria are not met.		
Serious eye dama	ge/eye irrita	tion		
Causes serious eye	irritation.			
Respiratory or s	skin sensit	isation		
		ication criteria are not met.		
			ovisity for reproduction)	
-	inchiogenia	city, mutagenicity and t	oxicity for reproduction)	
Carcinogenicity		·C		
		ification criteria are not met.		
Germ cell mutage	-			
		ification criteria are not met.		
Reproductive toxi				
		ification criteria are not met.		
STOT-single ex	posure			
May cause drowsine	ss or dizziness.			
STOT-repeated	exposure			
-	-	ication criteria are not met.		
Aspiration haza	-			
-		iention cuitorin ave not mot		
		ication criteria are not met.		
11.5 Additional inform				
The electification was	carried out ac	cording to the calculation method	of GHS	

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met. Acute (short-term) fish toxicity

rade name : evision date :	27.04.2021	age plate cleaning wipe	Version :	1.0.0
rint date :	27.04.2021		Version .	1.0.0
Parameter :		LC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :		Pimephales promelas (fathead minnow)		
Evaluation parame	eter :	Acute (short-term) fish toxicity		
Effective dose :		9640 mg/l		
Exposure time :		96 h		
Parameter :		LC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :		Leuciscus idus (golden orfe)		
Evaluation parame	eter :	Acute (short-term) fish toxicity		
Effective dose :		> 100 mg/l		
Exposure time :		48 h		
Acute (short-tern	n) toxicity to			
Parameter :		EC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :		Daphnia magna (Big water flea)		
Evaluation parame	otor ·	Acute (short-term) daphnia toxicity		
Effective dose :		13299 mg/l		
Exposure time :		48 h		
Parameter :		EC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :	tor I	Daphnia magna (Big water flea)		
Evaluation parame	eter :	Acute (short-term) daphnia toxicity		
Effective dose :		9714 mg/l		
Exposure time :				
Parameter :		EC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :		Daphnia magna (Big water flea)		
Evaluation parame	eter :	Acute (short-term) daphnia toxicity		
Effective dose :		> 100 mg/l		
Exposure time :		48 h		
•	n) toxicity to	aquatic algae and cyanobacteria		
Parameter :		EC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :		Pseudokirchneriella subcapitata		
Evaluation parame	eter :	Acute (short-term) algae toxicity		
Effective dose :		> 1000 mg/l		
Exposure time :		72 h		
Parameter :		EC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :		Scenedesmus subspicatus		
Evaluation parame	eter :	Acute (short-term) algae toxicity		
Effective dose :		> 100 mg/l		
Exposure time :		72 h		
Parameter :		EC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :		Algae		
Evaluation parame	eter :	Acute (short-term) algae toxicity		
Effective dose :		1800 mg/l		
Exposure time :		168 h		
Toxicity to micro	organisms			
Parameter :		EC50 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Evaluation parame	eter :	Bacteria toxicity		
Effective dose :		> 100 mg/l		
Parameter :		EC10 (PROPAN-2-OL ; CAS No. : 67-63-0)		
Species :		Pseudomonas putida		
Evaluation parame	eter :	Bacteria toxicity		
Effective dose :		5175 mg/l		
Exposure time :		18 h		
2.2 Persistence and	l dearadahi			
	-	iii y		
Abiotic degrad	ation			
No data available.				

Trade name :	VistaScan Image plate cleaning wipe		
Revision date :	27.04.2021	Version :	1.0.0
Print date :	27.04.2021		

No data available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Distribution Wipes: No data available

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

After intended use

Disposal operations

Dispose according to legislation. Dispose of used cloths in the household waste - do not throw them down the toilet. Consult the appropriate local waste disposal expert about waste disposal.

Recovery operations

Non-contaminated packages may be recycled. Contact a specialist disposal company or the local waste regulator for advice. This should be done in accordance with 'The Hazardous Waste Act'. Can be eliminated with domestic garbage on condition it complies with local regulations.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1 UN number

No information available.

- **14.2 UN proper shipping name** No information available.
- 14.3 Transport hazard class(es)
 - No information available.

14.4 Packing group No information available.

- **14.5 Environmental hazards** No information available.
- 14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments not applicable

14.8 Additional information

Land transport (ADR/RID) Special provisions 216 Sea transport (IMDG) Special provisions 216 Air transport (ICAO-TI / IATA-DGR) Special provisions A 46 (IATA)

Trade name : Revision date : Print date : VistaScan Image plate cleaning wipe 27.04.2021 27.04.2021

Version :

1.0.0

SECTION 15: Regulatory information

$_{15.1}$ Safety, health and environmental regulations/legislation specific for the substance

or mixture EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no.: 3, 40

National regulations

EPA NZ Classes of hazardous properties class 4—flammable solids

NZ HSNO Approval: HSNO Approval: HSR001180: 2-propanol

Restrictions of occupation

According to directive 94/33/EC, juveniles are only allowed to handle this product as long as all effects of dangerous substances are prevented.

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

None

16.2 Abbreviations and acronyms

- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimates
- CAS = Chemical Abstracts Service
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CMR = Carcinogen, Mutagen or Reproductive toxicant
- CO_2 = Carbon dioxide

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = European Commission

EC50 = Half maximal effective concentration

EN = European Standard (Norm)

EU = European Union

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

H statement = GHS Hazard statement

IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical

Instructions

IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol

of 1978. ("Marpol" = marine pollution)

NOEC/NOEL = No observed effect concentration/level

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No.

1907/2006]

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RMM = Risk Management Measure

RRN = REACH Registration Number

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

Trade name :	VistaScan Image plate cleaning wipe		
Revision date :	27.04.2021	Version :	1.0.0
Print date :	27.04.2021		

STOT-SE = Specific Target Organ Toxicity - Single Exposure SVHC = Substances of Very High Concern TLV/STEL = Threshold limit value/short-term exposure limit TLV/TWA = Threshold limit value/time weighted average UN = United Nations VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

16.3 Key literature references and sources for data

Standard EN420:2003 General requirements for protective gloves: disposable gloves, e.g. nitrile rubber, material thickness 0.1 mm (Australian Standard 2161).

Long-term exposure (Level 6: < 480 min): protective gloves, e.g. nitrile rubber, material thickness 0.7 mm (Australian Standard 2161).

Personal eye protection - Eye and face protectors for occupational applications: safety glasses (Australian Standard AS 1336 and AS/NZS 1337.1:2010).

16.4 Classification for mixtures and used evaluation method according to GHS

The classification was carried out according to the calculation method of GHS.

16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

16.6 Training advice

None

16.7 Additional information

Notice the directions for use on the label.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.