Laser C&B Yellow



Date of issue / Reference 28.09.2007 lise / Version 3

09.05.2005 Replaces version of hot

Date of printing 28.09.2007 Sheet No. 1453 Page 1 of 5


Ivoclar Vivadent AG, Bendererstrasse 2, FL - 9494 Schaan Company

Principality of Liechtenstein

1 Commercial product name and supplier

1.1 Commercial product name / Designation

Laser C&B Yellow



HMIS				
н	1			
F	0			
R	0			
С				

1.2 Application / Use Laser welding wire

1.3 Producer Ivoclar Vivadent, Inc.

175 Pineview Drive, Amherst NY 14228, USA

Ivoclar Vivadent, Inc. 1.4 Supplier

175 Pineview Drive, Amherst NY 14228, USA

2785 Skymark Ave., Unit 1 Mississagua, ON L4W4Y3, Canada MSDS prepared by Andejeet Gulati. Tel. No. 716 691-0010

Emergency-Call USA- Infotrac: 1-800-535-5053 1.5 24 Hour Emergency Assistance

Emergency-Call Canada - Canutec: 1-613-996-6666

US: 1-800-533-6825 General MSDS Assistance

Canada: 1-800-263-8182

2 Composition

2.1 Chemical characterization Laser welding wire made of:

> Au 75.0 % (CAS-Nr. 7440-57-5), Pt 2.99 % (7440-06-4), Ag 13.5 % (7440-22-4), Cu 7.0 % (7440-50-8), In 1.5 % (7440-74-6), Ir 0.01 %

(7439-88-5)

2.2 Hazardous components

2.3 Further information None.

3 **Hazards identification** Avoid breathing of grinding dust and vapours.

Melted material may cause burns.

First aid measures 4

4.1 Eye contact Flush eyes with plenty of water. Call a physician if irritation persists.

Material Safety Data Sheet		Laser C&B Yellow		
Date of issue / Reference Replaces version of Date of printing		28.09.2007 09.05.2005 28.09.2007	lise / Version 3 hot Sheet No. 1453	vivadent Page 2 of 5
4.2	Skin contact		rial presents a special hazard of de treat as any thermal burn.	
4.3	Ingestion	Call a physic	ian immediately.	
4.4	Inhalation	Remove to fresh air.		
4.5	Further information	None.		
5	Fire-fighting measures			
5.1	Suitable extinguishing media	not combusti Not required		
5.2	Extinguishing media to avoid	None.		
5.3	Flash point	not applicabl	e	Test method:
5.4	Ignition temperature			
5.5	Explosion limits	not applicabl Lower: Upper: not applicabl		
5.6	Further information	None.		
6	Accidental release measures	Clean up mechanically. Clean and reuse		
7	Handling and storage			
7.1	Handling	Only adequately trained personnel should handle this product. Keep out of reach of children.		
7.2	Industrial hygiene	Usual hygienic measures for dental practice.		
7.3	Storage	No specific requirements.		
7.4	Place of storage			
7.5	Fire- and explosion-protection	Not required		
8	Exposure controls / Personal protect	tion		
8.1	Technical measures		uate local ventilation. Control airb posure guideline.	porne concentration
8.2	Control of threshold limits	Dust and vap	ors: MAK 0.1 mg/m³	
8.3	Personal protective equipment			
8.3.1	Respiratory protection	In dusty atmo	ospheres, use an approved dust res	pirator P2.

Laser C&B Yellow



Test method:

Date of issue / Reference Replaces version of 28.09.2007 lise 09.05.2005 hot

lise / Version 3

Date of printing

28.09.2007

Sheet No. 1453

Page 3 of 5

If metal fumes are present, use an approved high-efficiency

particulate respirator (P3).

8.3.2 Hand protection Gloves.

8.3.3 Eye protection Safety goggles.

8.3.4 Other Use only with adequate ventilation.

9 Physical and chemical properties

9.1 Appearance solid

9.2 Colour yellow

9.3 Odour odourless9.4 Change of physical state

Melting range

9.5 Density

9.6 Vapour pressure

not applicable

9.7 Viscosity

not applicable

9.8 Solubility

Solubility in water

non soluble

9.9 pH

not applicable

9.10 Further information None.

10 Stability and reactivity

10.1 Thermal decomposition None, if used in accordance to instructions.

10.2 Hazardous decomposition products None, if used in accordance to instructions.

10.3 Hazardous reactions None, if used in accordance to instructions.

10.4 Further information None.

Laser C&B Yellow



Date of issue / Reference 28.09.2007 lise / Version 3 09.05.2005 Replaces version of hot Date of printing 28.09.2007 Page 4 of 5 Sheet No. 1453 11 **Toxicological information** 11.1 Acute toxicity Laser welding wire: non-cytotoxic, non-mutagenic, non-irritant, non-sensitizer Subacute / Chronic toxicity Fumes or dusts generated from cutting or grinding operations may 11.2 cause respiratory irritation. 11.3 Further information None. No ecological problems to be anticipated if properly handled and 12 **Ecological information** used. nearly insoluble 13 **Disposal considerations** Recycling 14 **Transport information** 14.1 Transport at land **ADR RID UN Number** Kemler Number Packing Group Proper shipping name 14.2 Transport at sea **ADNR IMDG UN Number EMS MFAG** Packing Group Proper shipping name ICAO / IATA-DGR 14.3 Air transport **UN Number** Proper shipping name Subsidiary Risk Labels **Packing Group Packing Instructions** Passenger airplane max. Cargo Airplane **Packing Instructions** max. 14.4 Further information Product is not classified as a dangerous good for transport.

15 Regulatory information

The product is a medical device according to the EC-directive 93/42/EEC.

This product does not require classification as Dangerous Goods. This product is classified as a medical device under US and

Laser C&B Yellow



Date of issue / Reference		28.09.2007	lise / Version 3	vivadent	
Replaces version of		09.05.2005	hot		
Date of printing		28.09.2007	Sheet No. 1453	Page 5 of 5	
			Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.		
15.1	National regulations				
15.2	NFPA Storage				
15.3	Further information	None.			
16	Other information	Version: 3			

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications do not have the meaning of guarantees on properties.

Changes: 1.5

This safety data sheet has been generated with the safety database 'ChemManager',

© ASSIST Applied Software Solutions in Science and Technology AG, Weiherweg 3, CH-4104 Oberwil, Switzerland

91/155/EEC