Laser Ceramic Yellow



Date of issue / Reference 28.09.2007 lise / Version 3

Replaces version of 09.05.2005 hot

Date of printing 28.09.2007 Sheet No. 1450 Page 1 of 5


Company Ivoclar Vivadent AG, Bendererstrasse 2, FL - 9494 Schaan

Principality of Liechtenstein

1 Commercial product name and supplier

1.1 Commercial product name / Designation

Laser Ceramic Yellow



HMIS			
н	2		
F	0		
R	0		
С			

1.2 Application / Use Laser welding wire

1.3 Producer Ivoclar Vivadent, Inc.

175 Pineview Drive, Amherst NY 14228, USA

Ivoclar Vivadent, Inc. 1.4 Supplier

175 Pineview Drive, Amherst NY 14228, USA

2785 Skymark Ave., Unit 1 Mississagua, ON L4W4Y3, Canada MSDS prepared by Andejeet Gulati. Tel. No. 716 691-0010

Emergency-Call USA- Infotrac: 1-800-535-5053 1.5 24 Hour Emergency Assistance

Emergency-Call Canada - Canutec: 1-613-996-6666

US: 1-800-533-6825 General MSDS Assistance

Canada: 1-800-263-8182

2 Composition

2.1 Chemical characterization Laser welding wire made of:

> Au 85.0 % (CAS-Nr. 7440-57-5), Pt 7.5 % (7440-06-4), Pd 3.0 % (7440-05-3), Ag 3.0 % (7440-22-4), In 1.5 % (7440-74-6), Ir 0.05 %

(7439-88-5)

2.2 Hazardous components

2.3 Further information None.

3 **Hazards identification** Avoid breathing of grinding dust and vapours.

Melted material may cause burns.

First aid measures 4

4.1 Eye contact Flush eyes with plenty of water. Call a physician if irritation persists.

Material Safety Data Sheet Date of issue / Reference Replaces version of Date of printing		Laser Ceramic Yellow		ive alon
		28.09.2007 09.05.2005 28.09.2007	lise / Version 3 hot Sheet No. 1450	vivadeni Page 2 of 5
4.2	Skin contact	Melted mater	rial presents a special hazard of detreat as any thermal burn.	
4.3	Ingestion	Call a physic	ian immediately.	
4.4	Inhalation	Remove to fr	esh air.	
4.5	Further information	None.		
5	Fire-fighting measures			
5.1	Suitable extinguishing media	not combusti Not required		
5.2	Extinguishing media to avoid	None.		
5.3	Flash point	not applicabl	e	Test method:
5.4	Ignition temperature			
5.5	Explosion limits	not applicabl Lower: Upper: not applicabl		
5.6	Further information	None.		
6	Accidental release measures	Clean up med		
7	Handling and storage			
7.1	Handling		tely trained personnel should hand each of children.	dle this product.
7.2	Industrial hygiene	Usual hygien	ic measures for dental practice.	
7.3	Storage	No specific requirements.		
7.4	Place of storage			
7.5	Fire- and explosion-protection	Not required		
8	Exposure controls / Personal protec	tion		
8.1	Technical measures		uate local ventilation. Control air posure guideline.	borne concentration
8.2	Control of threshold limits	Dust and vap	ors: MAK 0.1 mg/m³	
8.3	Personal protective equipment			
8.3.1	Respiratory protection	In dusty atmo	ospheres, use an approved dust res	spirator P2.

Laser Ceramic Yellow



Date of issue / Reference Replaces version of 28.09.2007 lise / Version 3

09.05.2005 hot

Date of printing 28.09.2007 **Sheet No. 1450**

Page 3 of 5

If metal fumes are present, use an approved high-efficiency

particulate respirator (P3).

8.3.2 Hand protection Gloves.

8.3.3 Eye protection Safety goggles.

8.3.4 Other Use only with adequate ventilation.

9 Physical and chemical properties

9.1 Appearance solid

9.2 Colour yellow

9.3 Odour odourless

9.4 Change of physical state Test method:

Melting range

9.5 Density

9.6 Vapour pressure

not applicable

9.7 Viscosity

not applicable

9.8 Solubility

Solubility in water

non soluble

9.9 pH

not applicable

9.10 Further information

None.

10 Stability and reactivity

10.1 Thermal decomposition None, if used in accordance to instructions.

10.2 Hazardous decomposition products None, if used in accordance to instructions.

10.3 Hazardous reactions None, if used in accordance to instructions.

10.4 Further information None.

Laser Ceramic Yellow



Date of issue / Reference 28.09.2007 lise / Version 3
Replaces version of 09.05.2005 hot
Date of printing 28.09.2007 Sheet No. 1450

Page 4 of 5

Date	or printing	26.09.2007 SHE	et 110. 1430		1 agc 4 01
11	Toxicological information				
11.1	Acute toxicity	Laser welding wire: non-cytotoxic, non-mutagenic, non-irritant, non-sensitizer			
11.2	Subacute / Chronic toxicity	Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation. None. No ecological problems to be anticipated if properly handled and used. nearly insoluble			
11.3	Further information				
12	Ecological information				
13	Disposal considerations	Recycling			
14	Transport information				
14.1	Transport at land	ADR	-	RID	
		UN Number Packing Group Proper shipping na		Kemler Number	
14.2	Transport at sea	ADNR	-	IMDG	
		UN Number EMS Packing Group Proper shipping na	-	MFAG	
14.3	Air transport	ICAO / IATA-DGI	R		
		UN Number Proper shipping na	 ime		
		Subsidiary Risk Labels			
	Passenger airplane	Packing Group Packing Instruction	 ns		
	Cargo Airplane	max. Packing Instruction	 ns		
		max.			
14.4	Further information	Product is not classified as a dangerous good for transport.			

15 Regulatory information

The product is a medical device according to the EC-directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and

Laser Ceramic Yellow



Date of issue / Reference Replaces version of Date of printing		28.09.2007	lise / Version 3	vivadent.	
		09.05.2005	hot	Page 5 of 5	
		28.09.2007	Sheet No. 1450		
		•	istration and Health Canada. does not require classification		
15.1	National regulations				
15.2	NFPA Storage				
15.3	Further information	None.			
16	Other information	Version: 3			

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications do not have the meaning of guarantees on properties.

Changes: 1.5

This safety data sheet has been generated with the safety database 'ChemManager',

© ASSIST Applied Software Solutions in Science and Technology AG, Weiherweg 3, CH-4104 Oberwil, Switzerland

91/155/EEC