ivoclar vivadeni:

Safety Data Sheet acc. to OSHA HCS

Printing date 10/19/2020

Version number 1

Reviewed on 01/27/2020

1 Identification

· Product identifier

· Trade name: ProArt Print Wax yellow

· Application of the substance / the mixture Test Material

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

\cdot Classification of the substance or mixture

Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.Repr. 2H361Suspected of damaging fertility or the unborn child.

· Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labeling: urethane dimethacrylate triethylene glycol dimethacrylate*

• Hazard statements Causes skin irritation.

(Contd. on page 2)

US

Version number 1

Reviewed on 01/27/2020

Trade name: ProArt Print Wax yellow

(Contd. of page 1)

Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. **Precautionary statements** Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 FIRE 1 Fire = 1**REACTIVITY** 0 *Reactivity* = 0 • Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous comp		
	urethane dimethacrylate	25-50%
CAS: 72162-39-1	urethane acrylate oligomer	10-25%
	triethylene glycol dimethacrylate	10-25%
	Polyethylene glycol	<i>≤10%</i>
	ethyltriglycol methacrylate	2.5-<10%
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	0.1-<2.5%

4 First-aid measures

· Description of first aid measures

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- Immediately rinse with water.
- If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- *Rinse out mouth and then drink plenty of water. Seek medical treatment.*

(Contd. on page 3)

US

Version number 1

Reviewed on 01/27/2020

(Contd. of page 2)

Trade name: ProArt Print Wax yellow

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

CAS: 72869-86-4	urethane dimethacrylate	120 mg/m3
CAS: 109-16-0	triethylene glycol dimethacrylate	33 mg/m3
CAS: 25322-68-3	Polyethylene glycol	30 mg/m3
· PAC-2:		
CAS: 72869-86-4	urethane dimethacrylate	1,300 mg/m3
CAS: 109-16-0	triethylene glycol dimethacrylate	360 mg/m3
CAS: 25322-68-3	Polyethylene glycol	1,300 mg/m3
· PAC-3:		
CAS: 72869-86-4	urethane dimethacrylate	7,900 mg/m3
CAS: 109-16-0	triethylene glycol dimethacrylate	2,100 mg/m3
CAS: 25322-68-3	Polyethylene glycol	7,700 mg/m3

7 Handling and storage

· Handling:

• Precautions for safe handling

Only adequately trained personnel should handle this product. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

US

Version number 1

Reviewed on 01/27/2020

Trade name: ProArt Print Wax yellow

(Contd. of page 3)

• Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from exposure to the light.

Protect from heat and direct sunlight.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

CAS: 25322-68-3 Polyethylene glycol

WEEL Long-term value: 10 mg/m³

(H); MW>200

• *Additional information:* The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Remove contaminated clothing and wash before reuse.

Avoid contact with the eyes and skin.

• Breathing equipment:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • **Protection of hands:**



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

(Contd. on page 5)

Printing date 10/19/2020

• Eye protection:

Version number 1

Reviewed on 01/27/2020

Trade name: ProArt Print Wax yellow

(Contd. of page 4)

Tightly sealed goggles

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Fluid
Color:	Yellow
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	>107 °C (>224.6 °F) (ISO 13736)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

Photoreactive (Danger of polymerization).

Stable under normal handling and storage conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

⁽Contd. on page 6)

US

Version number 1

Reviewed on 01/27/2020

Trade name: ProArt Print Wax yellow

(Contd. of page 5)

- · Possibility of hazardous reactions Danger of polymerization.
- · Conditions to avoid
- Protect from exposure to the light.
- Keep away from heat and direct sunlight.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- General notes:
- Harmful to aquatic organisms
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

Printing date 10/19/2020

Version number 1

Reviewed on 01/27/2020

Trade name: ProArt Print Wax yellow

(Contd. of page 6)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR/RID/ADN, ADN, IMDG, IA	TA Void
UN proper shipping name DOT, ADR/RID/ADN, ADN, IMDG, IA	TA Void
Transport hazard class(es)	
DOT, ADR/RID/ADN, ADN, IMDG, IA	ΤΑ
· Class	Void
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	I of Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
· UN ''Model Regulation'':	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 355 (extra	emely hazardous substances):	
None of the ingred	dients is listed.	
Section 313 (Spec	ific toxic chemical listings):	
None of the ingred	dients is listed.	
TSCA (Toxic Sub	stances Control Act):	
CAS: 72869-86-4	urethane dimethacrylate	
CAS: 25322-69-4	Polypropylene glycol	
CAS: 72162-39-1	urethane acrylate oligomer	
CAS: 109-16-0	triethylene glycol dimethacrylate	
CAS: 25322-68-3	Polyethylene glycol	
CAS: 39670-09-2	ethyltriglycol methacrylate	
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	
CAS: 131-55-5	2,2',4,4'-tetrahydroxybenzophenone	
CAS: 128-37-0	Butylated hydroxytoluene	
CAS: 2564-83-2	2,2,6,6-Tetramethylpiperidinooxy	

Printing date 10/19/2020

· Proposition 65

Version number 1

Reviewed on 01/27/2020

Trade name: ProArt Print Wax yellow

(Contd. of page 7)

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: urethane dimethacrylate triethylene glycol dimethacrylate · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. · Precautionary statements Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 10/19/2020 / -

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

US

Printing date 10/19/2020

Version number 1

Reviewed on 01/27/2020

Trade name: ProArt Print Wax yellow

(Contd. of page 8)

US

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFFA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
Rkin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Repr. 2: Reproductive toxicity – Category 2