

Printing date 07.09.2021 Version number 4 Revision: 07.09.2021

Not classified as hazardous according to criteria of Australian Safety and Compensation Council.

#### 1 Identification

- · Product identifier
- Trade name: IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma
  Modifier, Brightener, Transparent,
  Add-On 770 °C / 1418 °F
- · CAS Number:

66402-68-4

· EC number:

266-340-9

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Manufacture of dental prothesis
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent AG

Bendererstrasse 2

9494 Schaan

PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer:

Ivoclar Vivadent Pty. Ltd.

1-5 Overseas Drive

Noble Park North VIC 3174

Tel: + 61 3 9795 9599 / Fax: + 61 3 9795 9645

· Further information obtainable from:

Regulatory Affairs

sds@ivoclarvivadent.com

· Emergency telephone number: 131 126 (Poisons Information Centre - 24 hours / 7 days)

### 2 Hazard(s) Identification

· Classification of the substance or mixture

The substance is not classified, according to the Globally Harmonised System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards

Dust generation

Particular danger of slipping on leaked/spilled product.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

AU •

Printing date 07.09.2021 Version number 4 Revision: 07.09.2021

Trade name: IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent,

Add-On 770 °C / 1418 °F

(Contd. of page 1)

#### 3 Composition and Information on Ingredients

- · Chemical characterisation: Substances
- · CAS No. Description

66402-68-4 ceramic materials

- · Identification number(s)
- EC number: 266-340-9

#### 4 First Aid Measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

*In case of unconsciousness place patient stably in side position for transportation.* 

· After skin contact:

Rinse with water.

*Generally the product does not irritate the skin.* 

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Mechanical effects only.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: The product is not flammable.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Pick up mechanically.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 07.09.2021 Version number 4 Revision: 07.09.2021

Trade name: IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent,

Add-On 770 °C / 1418 °F

(Contd. of page 2)

See Section 13 for disposal information.

#### 7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Only adequately trained personnel should handle this product.

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in dry conditions.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Do not inhale dust / smoke / mist.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Recommended filter device for short term use: Filter P2
- · Protection of hands: Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

ΑU

Printing date 07.09.2021 Version number 4 Revision: 07.09.2021

Trade name: IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent,
Add-On 770 °C / 1418 °F

(Contd. of page 3)

| Physical and Chemical Properties         |   |
|--|---|
| Information on basic physical and chem   | ical properties                               |
| General Information                      |   |
| Appearance:                              | D. I  |
| Form:<br>Colour:                         | Powder According to product specification     |
| Odour:                                   | Odourless                                     |
| Odour threshold:                         | Not determined.                               |
| pH-value:                                | Not applicable.                               |
| Change in condition                      |   |
| Melting point/freezing point:            | Undetermined.                                 |
| Initial boiling point and boiling range: | Undetermined.                                 |
| Flash point:                             | Not applicable.                               |
| Flammability (solid, gas):               | Product is not flammable.                     |
| Auto-ignition temperature:               | Not determined.                               |
| Explosive properties:                    | Product does not present an explosion hazard. |
| Explosion limits:                        |   |
| Lower:                                   | Not determined.                               |
| Upper:                                   | Not determined.                               |
| Vapour pressure:                         | Not applicable.                               |
| Density:                                 | Not determined.                               |
| Relative density                         | Not determined.                               |
| Vapour density                           | Not applicable.                               |
| Evaporation rate                         | Not applicable.                               |
| Solubility in / Miscibility with         |   |
| water:                                   | Insoluble.                                    |
| Partition coefficient: n-octanol/water:  | Not determined.                               |
| Viscosity:                               |   |
| Dynamic:                                 | Not applicable.                               |
| Kinematic:                               | <i>Not applicable.</i>                        |

## 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

Printing date 07.09.2021 Version number 4 Revision: 07.09.2021

Trade name: IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent,
Add-On 770 °C / 1418 °F

(Contd. of page 4)

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Specific symptoms in biological assay:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Mechanical effects only.
- Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information: No further relevant information available.

## 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| · UN-Number   |      |  |
|---|------|--|
| · ADG, ADN, IMDG, IATA                              | Void |  |
| · UN proper shipping name<br>· ADG, ADN, IMDG, IATA | Void |  |
| · Transport hazard class(es)                        |      |  |
| · ADG, ADN, IMDG, IATA                              |      |  |
| Class   | Void |  |
| · Packing group                                     |      |  |
| · ADG, IMDG, IATA                                   | Void |  |

(Contd. on page 6)

Printing date 07.09.2021 Version number 4 Revision: 07.09.2021

Trade name: IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent,

Add-On 770 °C / 1418 °F

|   | (Contd. of pa  |
|---|--|
| Environmental hazards:<br>Marine pollutant:                 | No   |
| Special precautions for user                                | Not applicable.  |
| Transport in bulk according to Annex II of and the IBC Code | <sup>r</sup> <b>Marpol</b><br>Not applicable.                                  |
| Transport/Additional information:                           | Product is not classified as a dangerous good for transport (ADR, IMDG, IATA). |
| · UN ''Model Regulation'':                                  | Void   |

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

Substance is listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

Substance is not listed.

· Australia: Priority Existing Chemicals

Substance is not listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## <mark>16 Other informati</mark>on

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact:
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative