ivoclar

Safety Data Sheet according to WHS Regulations

Printing date 29.06.2023

Version number 2

Revision: 29.06.2023

Not classified as hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- Trade name: IPS e.max ZirCAD Colouring Liquid Indicator red / yellow / blue
- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- Application of the substance / the mixture Manufacture of dental prothesis Colouring Liquid
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 9494 Schaan PRINCIPALITY OF LIECHTENSTEIN Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer: Ivoclar Vivadent Pty. Ltd. 1- 5 Overseas Drive Noble Park North VIC 3174 Tel: + 61 3 9795 9599 / Fax: + 61 3 9795 9645

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 Emergency telephone number: 131 126 (Poisons Information Centre - 24 hours / 7 days)

2 Hazard(s) Identification

- *Classification of the substance or mixture The product is not classified, according to the Globally Harmonised System (GHS).*
- · Label elements
- GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void
- Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

Printing date 29.06.2023

Version number 2

Trade name: IPS e.max ZirCAD Colouring Liquid Indicator red / yellow / blue

(Contd. of page 1)

4 First Aid Measures

· General information: No special measures required.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• *After swallowing: Rinse out mouth and then drink plenty of water.*

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

• Special hazards arising from the substance or mixture No further relevant information available.

· Protective equipment: No special measures required.

6 Accidental Release Measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling:

· Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

· Information about fire - and explosion protection: No special measures required.

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: None.

• Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 29.06.2023

Version number 2

Revision: 29.06.2023

Trade name: IPS e.max ZirCAD Colouring Liquid Indicator red / yellow / blue

(Contd. of page 2)

Additional information about design	of technical facilities: No further data; see item 7.
Ingredients with limit values that requ	
	vant quantities of materials with critical values that have to be
monitored at the workplace.	
	d during the making were used as basis.
Personal protective equipment:	
General protective and hygienic meas	sures:
Usual hygienic measures for dental pr	
Keep away from foodstuffs, beverages	
Wash hands before breaks and at the e	end of work.
Avoid contact with the eyes and skin.	
Respiratory protection: Not required.	
Protection of hands:	
dlb	
Protective gloves (EN 374)	
Trolective gloves (EN 3/4)	
After use of gloves apply skin-cleaning	g agents and skin cosmetics.
Material of gloves	
Natural rubber, NR	
Chloroprene rubber, CR	
Nitrile rubber, NBR	
Eluorocarbon mubber (Viton)	
Fluorocarbon rubber (Viton)	
Butyl rubber, BR	
Butyl rubber, BR Selection of the glove material on cons	sideration of the penetration times, rates of diffusion and the
Butyl rubber, BR Selection of the glove material on cons degradation	sideration of the penetration times, rates of diffusion and the
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material	
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be	
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed.	
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be	
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses	e found out by the manufacturer of the protective gloves and has to
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed.	e found out by the manufacturer of the protective gloves and has to
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert	e found out by the manufacturer of the protective gloves and has to
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information	e found out by the manufacturer of the protective gloves and has to
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance:	e found out by the manufacturer of the protective gloves and has to
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form:	e found out by the manufacturer of the protective gloves and has to fies Fluid
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour:	e found out by the manufacturer of the protective gloves and has to <mark>fies</mark>
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour:	e found out by the manufacturer of the protective gloves and has to fies Fluid According to product specification
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour threshold:	e found out by the manufacturer of the protective gloves and has to fies Fluid According to product specification Odourless
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value:	e found out by the manufacturer of the protective gloves and has to ties Fluid According to product specification Odourless Not determined.
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition	e found out by the manufacturer of the protective gloves and has to ties Fluid According to product specification Odourless Not determined.
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	e found out by the manufacturer of the protective gloves and has to fies Fluid According to product specification Odourless Not determined. Not applicable. Undetermined.
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range	e found out by the manufacturer of the protective gloves and has to fies Fluid According to product specification Odourless Not determined. Not applicable. Undetermined.
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point:	e found out by the manufacturer of the protective gloves and has to ties Fluid According to product specification Odourless Not determined. Not applicable. Undetermined. e: 100 °C
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Flammability (solid, gas):	e found out by the manufacturer of the protective gloves and has to ties Fluid According to product specification Odourless Not determined. Not applicable. Undetermined. e: 100 °C Undetermined.
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses	e found out by the manufacturer of the protective gloves and has to fies Fluid According to product specification Odourless Not determined. Not applicable. Undetermined. e: 100 °C Undetermined. Not applicable.
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Flammability (solid, gas): Auto-ignition temperature:	e found out by the manufacturer of the protective gloves and has to fies Fluid According to product specification Odourless Not determined. Not applicable. Undetermined. e: 100 °C Undetermined. Not applicable. Product is not selfigniting.
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Flammability (solid, gas): Auto-ignition temperature: Explosive properties: Vapour pressure at 20 °C:	e found out by the manufacturer of the protective gloves and has to fies Fluid According to product specification Odourless Not determined. Not applicable. Undetermined. e: 100 °C Undetermined. Not applicable. Product is not selfigniting. Product does not present an explosion hazard.
Butyl rubber, BR Selection of the glove material on cons degradation Penetration time of glove material The exact break through time has to be observed. Eye protection: Safety glasses Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Flammability (solid, gas): Auto-ignition temperature: Explosive properties:	e found out by the manufacturer of the protective gloves and has to fies Fluid According to product specification Odourless Not determined. Not applicable. Undetermined. e: 100 °C Undetermined. Not applicable. Product is not selfigniting. Product does not present an explosion hazard. 23 hPa

(Contd. on page 4) AU

Printing date 29.06.2023

Version number 2

Revision: 29.06.2023

Trade name: IPS e.max ZirCAD Colouring Liquid Indicator red / yellow / blue

	(Co	ntd. of page 3)
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
• Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and Reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological Information

- · Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based* on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 5)

AU

Safety Data Sheet

according to WHS Regulations

Printing date 29.06.2023

Version number 2

(Contd. of page 4)

Trade name: IPS e.max ZirCAD Colouring Liquid Indicator red / yellow / blue

· Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Recommendation Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

Take to an approved langin of a wase memeration pa

• Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

UN-Number	TZ - 1
ADG, ADN, IMDG, IATA	Void
UN proper shipping name	
ADG, ADN, IMDG, IATA	Void
Transport hazard class(es)	
ADG, ADN, IMDG, IATA	
Class	Void
Packing group	
ADG, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	f Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for
	transport (ADR, IMDG, IATA).
UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

• Signal word Void

• Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

• Other regulations, limitations and prohibitive regulations

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

(Contd. on page 6)

AU

Printing date 29.06.2023

Version number 2

Revision: 29.06.2023

Trade name: IPS e.max ZirCAD Colouring Liquid Indicator red / yellow / blue

(Contd. of page 5)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative • * Data compared to the previous version altered.