ivoclar

Safety Data Sheet according to WHS Regulations

Printing date 29.06.2023

Version number 3

Revision: 29.06.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

	IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max
	ZirCAD LT Colouring Liquid grey
No further rel Application o	tified uses of the substance or mixture and uses advised against evant information available. f the substance / the mixture of dental prothesis uid
Manufacture Ivoclar Vivad Bendererstras 9494 Schaan PRINCIPALI	ent AG
Regulatory Aj sds@ivoclarv	
Hazard(s)	dentification
Skin Corr. 1B	of the substance or mixture H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Label elemen GHS label el The product i	
Hazard pictog	<i>rams</i>
•	

- *Hazard-determining components of labelling: inorganic nitrate salts*
- · Hazard statements
- Causes severe skin burns and eye damage.

(Contd. on page 2)

Printing date 29.06.2023

Version number 3

Revision: 29.06.2023

Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey

(Contd. of page 1)

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: Void

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

• After eye contact:

Call a doctor immediately.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire Fighting Measures

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Protective equipment: No special measures required.
- Additional information See Section 14 for Hazchem Code.

6 Accidental Release Measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

(Contd. on page 3)

Printing date 29.06.2023

Version number 3

Revision: 29.06.2023

Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey

(Contd. of page 2)

 Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Only adequately trained personnel should handle this product.

For use in dentistry only.

- Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Usual hygienic measures for dental practice and dental laboratories.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.



Protective gloves (EN 374)

After use of gloves apply skin-cleaning agents and skin cosmetics. • **Material of gloves** Natural rubber, NR

(Contd. on page 4)

ΑI

Printing date 29.06.2023

Version number 3

Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey

(Contd. of page 3)

Chloroprene rubber, CR Nitrile rubber, NBR Butyl rubber, BR Fluorocarbon rubber (Viton) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles (EN 166)

9 Physical and Chemical Properties

· General Information	
· Appearance:	
· Form:	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
• Odour threshold:	Not determined.
· pH-value at 20 °C:	2
• Change in condition	
• Melting point/freezing point:	Undetermined.
• Initial boiling point and boiling range:	Undetermined.
· Flash point:	Undetermined.
· Flammability (solid, gas):	Not applicable.
• Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
• Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
· water:	Not miscible or difficult to mix.
• Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Solids content:	0.0 %
Other information	No further relevant information available.
	A

(Contd. on page 5)

Printing date 29.06.2023

Version number 3

Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey

(Contd. of page 4)

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological Information

- · Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- \cdot **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:
- General notes:
- Not hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

AU

Printing date 29.06.2023

Version number 3

Revision: 29.06.2023

Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey

(Contd. of page 5) · Uncleaned packaging: • Recommendation: Disposal must be made according to official regulations. 14 Transport information · UN-Number UN3264 · ADG, IMDG, IATA · UN proper shipping name 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, · ADG N.O.S. (inorganic nitrate salts) · IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts) · Transport hazard class(es) · ADG · Class 8 (C1) Corrosive substances. · Label 8 · IMDG, IATA · Class 8 Corrosive substances. · Label 8 · Packing group · ADG, IMDG, IATA Π · Environmental hazards: Not applicable. · Special precautions for user Warning: Corrosive substances. · Hazard identification number (Kemler code): 80 · Hazchem or Emergency Action Code: 2X· EMS Number: F-A, S-B· Segregation groups (SGG1) Acids · Stowage Category · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. • Transport/Additional information: ·ADG · Limited quantities (LQ) 1L • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category 2 (Contd. on page 7)

Printing date 29.06.2023

Version number 3

Revision: 29.06.2023

Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey

	(Contd. of page 6
Tunnel restriction code	E
· IMDG	
Limited quantities (LQ)	lL
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC,
U U	INORGANIC, N.O.S. (INORGANIC NITRATE SALTS),
	8, II

15 Regulatory information

- · GHS label elements
- *The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms*



• Signal word Danger

- · Hazard-determining components of labelling:
- inorganic nitrate salts • Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- Other regulations, limitations and prohibitive regulations
- The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

- · Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

AU

Printing date 29.06.2023

Version number 3

Revision: 29.06.2023

Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey

(Contd. of page 7)

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 • * Data compared to the previous version altered.