ivoclar vivadent

Safety Data Sheet in accordance with HSNO

Printing date 21.09.2020

Version number 1

Revision: 06.07.2020

1 Identification of the substance or mixture and of the supplier

· Product identifier

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the mixture Manufacture of dental prothesis

 \cdot Details of the supplier of the safety data sheet

• Manufacturer/Supplier of the safety data she • Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 9494 Schaan PRINCIPALITY OF LIECHTENSTEIN Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer: Ivoclar Vivadent Ltd. 12 Omega St, Rosedale, Auckland New Zealand Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990

• **Further information obtainable from:** Regulatory Affairs sds@ivoclarvivadent.com • **Emergency telephone number:** 0800 764 766 (National Poison Centre - 24 hours / 7 days)

2 Hazards identification

\cdot Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: methyl methacrylate
1,4-butanediol dimethacrylate
Hazard statements
Highly flammable liquid and vapour.
Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. No smoking.

(Contd. on page 2)

NZ

Printing date 21.09.2020

Version number 1

Revision: 06.07.2020

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

(Contd. of page 1)

Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition/Information on ingredients

• Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 80-62-6	methyl methacrylate	50-100%
EINECS: 201-297-1	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
	1,4-butanediol dimethacrylate	2.5-10%
EINECS: 218-218-1	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
Additional information. For the wording of the listed han and physics refer to gootion 16		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air; consult doctor in case of complaints.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

· Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

NZ

Printing date 21.09.2020

Version number 1

Revision: 06.07.2020

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

(Contd. of page 2)

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Only adequately trained personnel should handle this product. Ensure good ventilation/exhaustion at the workplace. For use in dentistry only.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Troicei againsi ciccirostatic charges.

· Conditions for safe storage, including any incompatibilities

• Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions:
- Keep container tightly sealed. Store receptacle in a well ventilated area.
- Store receptucie in a well venitatea area.
- Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 80-62-6 methyl methacrylate

WES Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm skin

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

INZ

Printing date 21.09.2020

Version number 1

Revision: 06.07.2020

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

(Contd. of page 3)

Exposure controls Personal protective equipment: General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Reprinted protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposus use self-contained respiratory protective device. Feter A1 Filter A1 Filter A3 Protection of hands: Note the gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Multiple R Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves and of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Every Tightly sealed goggles		
General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposur use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protective gloves After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves and out by the manufacturer of the protective gloves and has to be observed. Natural bried are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:		
Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu- use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: Work protective gloves After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Buyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves and by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:		
Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: <i>Protective gloves</i> After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Buyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Preteration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:		
Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: <i>Protective gloves</i> After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:		
Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: <i>Protective gloves</i> After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:	Keep away from foodstuffs, beverage	es and feed.
Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: <i>Protective gloves</i> After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Prenetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:	Immediately remove all soiled and co	ontaminated clothing
Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: <i>Protective gloves</i> After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Prenetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:	Wash hands before breaks and at the	e end of work.
Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: <i>Protective gloves</i> After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:	Avoid contact with the eyes and skin.	
Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: Protective gloves After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:		
use self-contained respiratory protective device. Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands:		
Recommended filter device for short term use: Filter A1 Filter A2 Filter A3 Protection of hands: <i>with protective gloves After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.</i>	In case of brief exposure or low polli	ution use respiratory filter device. In case of intensive or longer exposu
 Filter A1 Filter A2 Filter A3 Protection of hands: Protective gloves After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection: 	use self-contained respiratory protec	tive device.
 Filter A2 Filter A3 Protection of hands: Protective gloves After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection: 	Recommended filter device for short	t term use:
Filter A3 Protection of hands:	Filter Al	
Protection of hands: Protective gloves After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:	Filter A2	
After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:	Filter A3	
After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:	Protection of hands:	
After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:		
After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:		
Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:	Protective gloves	
Material of gloves Butyl rubber, BR Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. Eye protection:		
	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pr Eye protection: Tightly sealed goggles Physical and chemical proper	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates.
General Information	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pu Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates.
General Information Appearance:	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pu Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information Appearance:	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates.
General InformationAppearance:Form:Fluid	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pu Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information Appearance: Form:	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates. ties chemical properties Fluid
General InformationAppearance:Form:FluidColour:Colourless	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pu Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information Appearance: Form: Colour:	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates. ties themical properties Fluid Colourless
General InformationAppearance:Form:FluidColour:ColourlessOdour:Pungent	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pr Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information Appearance: Form: Colour: Odour:	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates. ties themical properties Fluid Colourless Pungent
General InformationAppearance:Form:FluidColour:Colourless	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pr Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information Appearance: Form: Colour: Odour:	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates. ties themical properties Fluid Colourless Pungent
General InformationAppearance:Form:FluidColour:ColourlessOdour:PungentOdour threshold:Not determined.	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pr Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information Appearance: Form: Colour: Odour: Odour threshold:	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates. ties themical properties Fluid Colourless Pungent Not determined.
General InformationAppearance:Form:FluidColour:ColourlessOdour:PungentOdour threshold:Not determined.pH-value:Not determined.	Butyl rubber, BR Selection of the glove material on con degradation Penetration time of glove material The exact break through time has to observed. Not suitable are gloves made of the j Commercial medical gloves do not pr Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value:	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates. ties themical properties Fluid Colourless Pungent Not determined.
General InformationAppearance:Form:FluidColour:ColourlessOdour:PungentOdour threshold:Not determined.	Butyl rubber, BR Selection of the glove material on condegradation Penetration time of glove material The exact break through time has to a observed. Not suitable are gloves made of the j Commercial medical gloves do not pr Eye protection: Tightly sealed goggles Physical and chemical proper Information on basic physical and c General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition	be found out by the manufacturer of the protective gloves and has to be following materials: rovide protection against the sensitizing effect of methacrylates. files themical properties Fluid Colourless Pungent Not determined. Not determined.

NZ

Printing date 21.09.2020

Version number 1

Revision: 06.07.2020

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

	(Contd. of page
Flash point:	10 °C
Ignition temperature:	430 °C
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	<i>Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.</i>
Explosion limits:	
Lower:	2.1 Vol %
Upper:	12.5 Vol %
Vapour pressure at 20 °C:	47 hPa
Density at 20 °C:	$0.943 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water at 20 °C:	1.6 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Forms explosive gas mixture with air. Reacts with strong oxidising agents.

Exothermic polymerisation.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

CAS: 80-62-6 methyl methacrylate

Oral LD50 7872 mg/kg (rat)

· Skin corrosion/irritation Irritant to skin and mucous membranes.

· Serious eye damage/irritation No irritating effect.

• Respiratory or skin sensitisation Sensitisation possible through skin contact.

(Contd. on page 6)

NZ

Printing date 21.09.2020

Version number 1

Revision: 06.07.2020

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

(Contd. of page 5)

· Additional toxicological information: No further relevant information available.

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

• Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

UN-Number ADR/RID/ADN, IMDG, IATA	UN1247
	01(127)
UN proper shipping name ADR/RID/ADN	1247 METHYL METHACRYLATE MONOMER,
ADK/KID/ADN	STABILIZED solution
IMDG, IATA	METHYL METHACRYLATE MONOMER,
	STABILIZED solution
Transport hazard class(es)	
ADR/RID/ADN	
Class	3 (F1) Flammable liquids.

Printing date 21.09.2020

Version number 1

Revision: 06.07.2020

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

	(Contd. of pa
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids. 3
Packing group ADR/RID/ADN, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids. 339 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of Mar and the IBC Code	pol Not applicable.
Transport/Additional information:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED SOLUTION, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

5 57	0 0 1 9 9			
· New Zealand Inventory of Chemicals				
All ingredients a	rre listed.			
· HSNO Approva	l numbers			
CAS: 80-62-6	methyl methacrylate	HSR001195		
CAS: 2082-81-7	1,4-butanediol dimethacrylate	HSR003839		
· GHS label elements				

The product is classified and labelled according to the Globally Harmonised System (GHS).

Version number 1

Revision: 06.07.2020

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

(Contd. of page 7) · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labelling: methyl methacrylate 1,4-butanediol dimethacrylate · Hazard statements Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category P5c FLAMMABLE LIQUIDS • Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t · National regulations: · Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 (Contd. on page 9) NZ.

Printing date 21.09.2020

Version number 1

Revision: 06.07.2020

Trade name: Ivotion Bond Monomer, Ivotion Bond Modelling Liquid

(Contd. of page 8)

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

NZ –