Printing date 06/23/2015

vivadent:

\*

# Version number 5

Reviewed on 05/07/2015

# **1** Identification

- · Product identifier
- · Trade name: Evolution Lite

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.* 

- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

*General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182* 

# 2 Hazard(s) identification

Classification of the substance or mixture
Ox. Sol. 2 H272 May intensify fire; oxidizer.
Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2A H319 Causes serious eve irritation.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



Signal word Danger
 Hazard statements
 May intensify fire; oxidizer.
 Causes skin irritation.
 Causes serious eye irritation.

(Contd. on page 2)

US

Reviewed on 05/07/2015

# Trade name: Evolution Lite

(Contd. of page 1)

· Precautionary statements Keep away from heat. Take any precaution to avoid mixing with combustibles. *Wear protective gloves / eye protection / face protection.* Wear protective gloves. *Wear eye protection / face protection.* Keep/Store away from clothing/combustible materials. Wash thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. • Additional information: Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1 FIRE 0 Fire = 0**REACTIVITY O** *Reactivity* = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures · Description: Dental alloy · Dangerous components: 7440-05-3 palladium 25-50% 7440-74-6 indium 2.5-<10% 7440-22-4 silver 2.5-<10% 7440-55-3 gallium 1-<2.5%

# **4** First-aid measures

· Description of first aid measures

· General information: No special measures required.

(Contd. on page 3)

US

Version number 5

Reviewed on 05/07/2015

# Trade name: Evolution Lite

(Contd. of page 2) (

• After inhalation:

- Grinding dust: Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: After contact with the molten product, cool rapidly with cold water.
- · After eye contact:

Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- Mechanical effects only.
- · After swallowing: Seek medical treatment.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: The product is not flammable.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

## **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- *Extractors are required on all machines used for thermal processing or splinter removal processes.* • *Information about protection against explosions and fires:* No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

-US -

# Version number 5

Reviewed on 05/07/2015

# Trade name: Evolution Lite

|  | ponents with limit values that require monitoring at the workplace:   |
|--|---|
|  | 0-74-6 indium   |
| REL  | Long-term value: 0.1 mg/m <sup>3</sup><br>as In   |
| TLV  | Long-term value: 0.1 mg/m <sup>3</sup><br>as In   |
| 744(   | 0-22-4 silver   |
| PEL  | Long-term value: 0.01 mg/m <sup>3</sup>   |
| REL  | Long-term value: 0.01 mg/m <sup>3</sup>   |
|  | Long-term value: $0.1 \text{ mg/m}^3$   |
|  | metal: dust and fume  |
| Add  | <i>itional information:</i> The lists that were valid during the creation were used as basis.   |
| Prot<br>Prot<br>Afte<br>Mat<br>Mec<br>Leat<br>Stro | athing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.<br>Section of hands:<br>Sective gloves should always be worn during mechanical and thermal processing.<br>r use of gloves apply skin-cleaning agents and skin cosmetics.<br>erial of gloves<br>hanical processing:<br>ther gloves<br>ng gloves |
|  | rmal processing:  |
|  | t protection gloves<br>etration time of glove material  |
| The  | exact break through time has to be found out by the manufacturer of the protective gloves and has to be<br>prved.   |
|  | <b>protection:</b><br>ays wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).  |

| General Information            |                              |  |
|--------------------------------|------------------------------|--|
| Appearance:                    | ~                            |  |
| Form:                          | Solid                        |  |
| Color:                         | White                        |  |
| Odor:                          | Odorless                     |  |
| Odour threshold:               | Not determined.              |  |
| pH-value:                      | Not applicable.              |  |
| Change in condition            |                              |  |
| Melting point/Melting range:   | 1100–1260 °C (2012–2300 °F)  |  |
| Boiling point/Boiling range:   | Undetermined.                |  |
| Flash point:                   | Not applicable.              |  |
| Flammability (solid, gaseous): | Not determined.              |  |
| Auto igniting:                 | Product is not selfigniting. |  |

Version number 5

Reviewed on 05/07/2015

# Trade name: Evolution Lite

|                                    | (Contd. of pag                                |
|------------------------------------|---|
| Danger of explosion:               | Product does not present an explosion hazard. |
| Explosion limits:                  |   |
| Lower:                             | Not determined.                               |
| Upper:                             | Not determined.                               |
| · Vapor pressure:                  | Not applicable.                               |
| Density at 20 °C (68 °F):          | 12.8 g/cm <sup>3</sup> (106.816 lbs/gal)      |
| Relative density                   | Not determined.                               |
| Vapour density                     | Not applicable.                               |
| Evaporation rate                   | Not applicable.                               |
| Solubility in / Miscibility with   |   |
| Water:                             | Insoluble.                                    |
| Partition coefficient (n-octanol/w | vater): Not determined.                       |
| Viscosity:                         |   |
| Dynamic:                           | Not applicable.                               |
| Kinematic:                         | Not applicable.                               |
| Solvent content:                   |   |
| Solids content:                    | 100 %   |
| Other information                  | No further relevant information available.    |

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

# **11 Toxicological information**

#### · Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.

#### · Carcinogenic categories

#### · NTP (National Toxicology Program)

## None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)

#### Version number 5

Reviewed on 05/07/2015

# Trade name: Evolution Lite

(Contd. of page 5)

## **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

\*

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| UN-Number                              |  |
|--|--|
| DOT                                    | NA3077   |
| ADR, ADN, IMDG, IATA                   | Void   |
| UN proper shipping name                |  |
| ADR, ADN, IMDG, IATA                   | Void   |
| Transport hazard class(es)             |  |
| DOT                                    |  |
| Class                                  | 9 Miscellaneous dangerous substances and articles                              |
| Label                                  | 9  |
| ADR, ADN, IMDG, IATA                   |  |
| Class                                  | Void   |
| Packing group                          |  |
| DOT                                    | III  |
| ADR, IMDG, IATA                        | Void   |
| Environmental hazards:                 |  |
| Marine pollutant:                      | No   |
| Special precautions for user           | Not applicable.  |
| Transport in bulk according to Annex . | II of  |
| MARPOL73/78 and the IBC Code           | Not applicable.  |
| Transport/Additional information:      | Product is not classified as a dangerous good for transport (ADR, IMDG, IATA). |

Printing date 06/23/2015

Version number 5

Reviewed on 05/07/2015

(Contd. of page 6)

Trade name: Evolution Lite

· UN "Model Regulation":

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

\_

- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

7440-22-4 silver

7440-50-8 copper

• TSCA (Toxic Substances Control Act): 7440-57-5 Gold

7440-22-4 silver

7440-50-8 copper

7440-06-4 platinum 7440-74-6 indium

7439-88-5 iridium

## · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

## · Carcinogenic categories

· EPA (Environmental Protection Agency)

7440-22-4 silver

7440-50-8 copper

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

*The product is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms* 



D D

Printing date 06/23/2015

Version number 5

Reviewed on 05/07/2015

# Trade name: Evolution Lite

(Contd. of page 7) · Signal word Danger · Hazard statements May intensify fire; oxidizer. Causes skin irritation. Causes serious eye irritation. · Precautionary statements Keep away from heat. Take any precaution to avoid mixing with combustibles. *Wear protective gloves / eye protection / face protection.* Wear protective gloves. Wear eye protection / face protection. Keep/Store away from clothing/combustible materials. Wash thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: · Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC. This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 06/23/2015 / 4
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A • \* Data compared to the previous version altered.