

Printing date 06/23/2015 Version number 5 Reviewed on 05/08/2015

### 1 Identification

- · Product identifier
- · Trade name: IS-64
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent Inc.

175 Pineview Drive, Amherst, N.Y. 14228

USA

Tel. +1 800 533 6825

Fax +1 716 691 2285

Ivoclar Vivadent Inc.

1-6600 Dixie Road

Mississauga, Ontario

L5T 2Y2 Canada

Phone: +1 905 670 8499

Fax: +1 905 670 3102

- · Information department: Quality Assurance / Regulatory Affairs
- Emergency telephone number: 24 Hour Emergency Assistance:

Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

### 2 Hazard(s) identification

· Classification of the substance or mixture

Ox. Sol. 2 H272 May intensify fire; oxidizer.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS03

GHS07

- · Signal word Danger
- · Hazard statements

May intensify fire; oxidizer.

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 2)

Printing date 06/23/2015 Version number 5 Reviewed on 05/08/2015

Trade name: IS-64

(Contd. of page 1)

#### · Precautionary statements

Keep away from heat.

Take any precaution to avoid mixing with combustibles.

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Wear eye protection / face protection.

Keep/Store away from clothing/combustible materials.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 1 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Dental alloy

_	components:	
7440-05-3	palladium	50-100%
7440-22-4	silver	25-50%
7440-31-5	tin	2.5-<10%
7440-55-3		1-<2.5%
7440-74-6	indium	1-<2.5%
7440-06-4	platinum	1-<2.5%

Printing date 06/23/2015 Version number 5 Reviewed on 05/08/2015

Trade name: IS-64

(Contd. of page 2)

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Grinding dust: Supply fresh air; consult doctor in case of complaints.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: After contact with the molten product, cool rapidly with cold water.
- · After eye contact:

Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Mechanical effects only.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: The product is not flammable.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Extractors are required on all machines used for thermal processing or splinter removal processes.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

US

Printing date 06/23/2015 Version number 5 Reviewed on 05/08/2015

Trade name: IS-64

(Contd. of page 3)

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Comp	· Components with limit values that require monitoring at the workplace:		
7440	7440-22-4 silver		
PEL	Long-term value: 0.01 mg/m³		
REL	Long-term value: 0.01 mg/m³		
TLV	Long-term value: 0.1 mg/m³		
	metal: dust and fume		
7440	-31-5 tin		
PEL	Long-term value: 2 mg/m³		
	metal		
REL	Long-term value: 2 mg/m³		
TLV	Long-term value: 2 mg/m³		
	metal		
7440	7440-74-6 indium		
REL	Long-term value: 0.1 mg/m³		
	as In		
TLV	Long-term value: 0.1 mg/m³		
=	as In		
	7440-06-4 platinum		
PEL	Long-term value: 0.002 mg/m <sup>3</sup>		
	soluble salts, as Pt		
REL	Long-term value: $1*0.002**mg/m^3$		
	*Metal **soluble salts, as Pt		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:

TLV Long-term value: 1\* 0.002\*\* mg/m³ \*metal \*\*soluble salts, as Pt

- · General protective and hygienic measures: Usual hygienic measures for dental practice.
- · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- · Protection of hands:

Protective gloves should always be worn during mechanical and thermal processing.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Mechanical processing:

Leather gloves

Strong gloves

Thermal processing:

Heat protection gloves

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

Printing date 06/23/2015 Version number 5 Reviewed on 05/08/2015

Trade name: IS-64

(Contd. of page 4)

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Solid	
Color:	White	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1150–1280 °C (2102–2336 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	11.2 g/cm³ (93.464 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Solids content:	100 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

Printing date 06/23/2015 Version number 5 Reviewed on 05/08/2015

Trade name: IS-64

(Contd. of page 5)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.

- · Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential} \ \textit{No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

7 4 7	7 N		C	, •
14	ranc	port in	torma	TON
	LIWIUS	יוו זוטע	JUITIU	uuuu

· UN-Number · DOT · ADR, ADN, IMDG, IATA	NA3077 Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void

(Contd. on page 7)

*Printing date 06/23/2015* Version number 5 Reviewed on 05/08/2015

Trade name: IS-64

	(Contd. of pa
Transport hazard class(es)	
DOT	
Class	9 Miscellaneous dangerous substances and articles
Label	9
ADR, ADN, IMDG, IATA	
Class	Void
Packing group	
DOT	III
ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
UN "Model Regulation":	-

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- $\cdot$  Sara

· Section 355 (extremely hazardous substances):				
None of the	None of the ingredients is listed.			
· Section 313 (Specific toxic chemical listings):				
7440-22-4	silver			
7440-50-8	copper			
· TSCA (Toxic Substances Control Act):				
7440-57-5	Gold			
7440-22-4	silver			
<i>7440-50-8</i>	copper			

7440-06-4 platinum

7440-74-6 indium

7439-88-5 iridium

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

Printing date 06/23/2015 Version number 5 Reviewed on 05/08/2015

Trade name: IS-64

(Contd. of page 7)

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Envi	ronmental Protection Agency)	
7440-22-4	silver	D
7440-50-8	copper	D

#### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS03 GHS07

#### · Signal word Danger

#### · Hazard statements

May intensify fire; oxidizer.

Causes skin irritation.

Causes serious eye irritation.

### · Precautionary statements

Keep away from heat.

Take any precaution to avoid mixing with combustibles.

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Wear eye protection / face protection.

Keep/Store away from clothing/combustible materials.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · National regulations:

#### · Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 06/23/2015 Version number 5 Reviewed on 05/08/2015

Trade name: IS-64

(Contd. of page 8)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 06/23/2015 / 4
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

\* \* Data compared to the previous version altered.

110