Printing date 05/19/2015

vivadent

*

Version number 4

Reviewed on 04/10/2015

1 Identification

- · Product identifier
- · Trade name: Telio Activator

• Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- $\cdot \textit{Application of the substance / the mixture Auxiliary for dental technology}$
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number:
 24 Hour Emergency Assistance:
 Emergency-Call USA - Infotrac: 1-800-535-5053

Emergency-Call Canada - Canutec: 1-603-596-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

Classification of the substance or mixture
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: methyl methacrylate ethylene glycol dimethacrylate*

(Contd. on page 2)

US

Printing date 05/19/2015

Version number 4

Reviewed on 04/10/2015

Trade name: Telio Activator

(Contd. of page 1)

triethylene glycol dimethacrylate
Hazard statements
Highly flammable liquid and vapor. Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection.
Keep container tightly closed.
If skin irritation or rash occurs: Get medical advice/attention.
Store in a well-ventilated place. Keep cool.
Classification system:
NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 2

· HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
FIRE	3	Fire = 3
REACTIVITY	2	<i>Reactivity</i> $= 2$

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerou 	is components:	
80-62-6	methyl methacrylate	50-100%
97-90-5	ethylene glycol dimethacrylate	2.5-<10%
109-16-0	triethylene glycol dimethacrylate	2.5-<10%

4 First-aid measures

· Description of first aid measures

· After inhalation:

- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; immediately call for medical help.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 05/19/2015

Version number 4

Reviewed on 04/10/2015

(Contd. of page 2)

Trade name: Telio Activator

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- *Precautions for safe handling* Only adequately trained personnel should handle this product. Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle. Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store receptacle in a well ventilated area. Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US

Printing date 05/19/2015

Version number 4

Reviewed on 04/10/2015

Trade name: Telio Activator

(Contd. of page 3)

Components with limit values that require monitoring at the workplace:		
	2-6 methyl methacrylate	
PEL	Long-term value: 410 mg/m³, 100 ppm	
REL	Long-term value: 410 mg/m³, 100 ppm	
TLV	Short-term value: 410 mg/m ³ , 100 ppm	
	Long-term value: 205 mg/m ³ , 50 ppm	
	(SEN) NIC-DSEN	
Addi	tional information: The lists that were valid during the creation were used as basis.	
Expo	osure controls	
	onal protective equipment:	
Gene	eral protective and hygienic measures:	
	Il hygienic measures for dental practice.	
	away from foodstuffs, beverages and feed.	
	ediately remove all soiled and contaminated clothing.	
	h hands before breaks and at the end of work.	
	ot inhale gases / fumes / aerosols.	
	d contact with the skin.	
	thing equipment:	
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposur	
	espiratory protective device that is independent of circulating air.	
Keco Filte	mmended filter device for short term use:	
Filte		
Filte		
	ection of hands:	
1110	Protoctive clover	
	Protective gloves	
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.	
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/	
	hemical mixture.	
	ction of the glove material on consideration of the penetration times, rates of diffusion and the	
	adation	
	rial of gloves	
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality	
	varies from manufacturer to manufacturer. As the product is a preparation of several substances, the	
	tance of the glove material can not be calculated in advance and has therefore to be checked prior to the	
	ication. Atration time of glove material	
	exact break through time has to be found out by the manufacturer of the protective gloves and has to be	
obse		
	the permanent contact of a maximum of 15 minutes gloves made of the following materials are	
suita		
Buty	l rubber, BR	
	suitable are gloves made of the following materials:	

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

(Contd. on page 5)

Printing date 05/19/2015


Version number 4

Reviewed on 04/10/2015

Trade name: Telio Activator

(Contd. of page 4)

• Eye protection:



Physical and chemical proper	ties
Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Fluid
Color:	Colorless
Odor: Odour threshold:	Pungent Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-48 °C (-54 °F)
Boiling point/Boiling range:	101 °C (214 °F)
Flash point:	10 °C (50 °F)
Ignition temperature:	430 °C (806 °F)
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2.1 Vol %
Upper:	12.5 Vol %
Vapor pressure at 20 °C (68 °F):	47 hPa (35 mm Hg)
Density at 20 °C (68 °F):	0.943 g/cm ³ (7.869 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 •C (68 •F):	1.6 g/l
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable under normal handling and storage conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. (Contd. on page 6)

US

Printing date 05/19/2015

Version number 4

Reviewed on 04/10/2015

Trade name: Telio Activator

(Contd. of page 5)

3

- *Possibility of hazardous reactions Forms explosive gas mixture with air.*
- Reacts with strong oxidizing agents.
- Exothermic polymerization.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

80-62-6 methyl methacrylate

Oral LD50 7872 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: No further relevant information available.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

80-62-6 methyl methacrylate

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 05/19/2015

Version number 4

Reviewed on 04/10/2015

Trade name: Telio Activator

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

• *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT	UN1247
ADR, IMDG, IATA	1247
UN proper shipping name	
ADR	1247 METHYL METHACRYLATE MONOMER, STABILIZED
IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZED
Transport hazard class(es)	
DOT	
~	
3	
Class	3 Flammable liquids
Label	3
ADR	
3	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
A	
Class	3 Flammable liquids
Label	3 Fiammable liquias 3
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	339
EMS Number:	F- E , S - D

Printing date 05/19/2015

Version number 4

Reviewed on 04/10/2015

(Contd. of page 7)

Trade name: Telio Activator

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

UN1247, Methyl methacrylate monomer, stabilized, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

80-62-6 methyl methacrylate

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

80-62-6 methyl methacrylate

· TLV (Threshold Limit Value established by ACGIH)

80-62-6 *methyl methacrylate*

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling:* methyl methacrylate ethylene glycol dimethacrylate triethylene glycol dimethacrylate

(Contd. on page 9)

NL

A4

US

Printing date 05/19/2015

Version number 4

Reviewed on 04/10/2015

Trade name: Telio Activator

(Contd. of page 8)

Hazard statements
 Highly flammable liquid and vapor.
 Causes skin irritation.
 May cause an allergic skin reaction.
 May cause respiratory irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. If skin irritation or rash occurs: Get medical advice/attention. Store in a well-ventilated place. Keep cool.

· National regulations:

• Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC. This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 05/19/2015 / 3

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

 \cdot * Data compared to the previous version altered.