

Printing date 05/18/2017 Version number 2 Reviewed on 05/11/2017

1 Identification

- · Product identifier
- Trade name: IPS PressVEST Premium Powder
- · Application of the substance / the mixture Auxiliary for dental technology
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent Inc.

175 Pineview Drive, Amherst, N.Y. 14228

USA

Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada

Phone: +1 905 670 8499 Fax: +1 905 670 3102

- · Information department: Quality Assurance / Regulatory Affairs
- Emergency telephone number: 24 Hour Emergency Assistance:

Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

· Classification of the substance or mixture

Carc. 1A H350 May cause cancer.

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- GHS08
- · Signal word Danger
- · Hazard-determining components of labeling:

Quartz (SiO2)

cristobalite

· Hazard statements

May cause cancer.

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

(Contd. on page 2)

Printing date 05/18/2017 Version number 2 Reviewed on 05/11/2017

Trade name: IPS PressVEST Premium Powder

(Contd. of page 1)

· Precautionary statements

Do not breathe dust.

In case of inadequate ventilation wear respiratory protection.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



REACTIVITY 0 Reactivity = 0

· Other hazards

Particular danger of slipping on leaked/spilled product.

Risk of lung damage (silicosis).

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 14808-60-7	Quartz (SiO2)	50-100%
CAS: 14464-46-1	cristobalite	10-<25%
CAS: 1344-28-1	aluminium oxide	2.5-<10%
CAS: 1309-48-4	magnesium oxide	2.5-<10%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Rinse with water.

Generally the product does not irritate the skin.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Mechanical effects only.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 05/18/2017 Version number 2 Reviewed on 05/11/2017

Trade name: IPS PressVEST Premium Powder

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Ammonia

- · Advice for firefighters
- · **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid formation of dust.

- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 14808-60-7 Quartz (SiO2)

PEL see Quartz listing

(Contd. on page 4)

Printing date 05/18/2017 Version number 2 Reviewed on 05/11/2017

Trade name: IPS PressVEST Premium Powder

	(Contd. of page 3)
R	EL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
T	LV Long-term value: 0.025* mg/m³ *as respirable fraction
C	AS: 14464-46-1 cristobalite
P	EL ½ value from respirable dust formulae for Quartz
R	EL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
T.	LV Long-term value: 0.025* mg/m³ *as respirable fraction
C	AS: 1344-28-1 aluminium oxide
P	EL Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction
R	EL Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
T	LV Long-term value: 1* mg/m³ as Al; *as respirable fraction
С	AS: 1309-48-4 magnesium oxide
P	EL Long-term value: 15* mg/m³ fume; *total particulate
T.	LV Long-term value: $10* \text{ mg/m}^3$ *as inhalable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Recommended filter device for short term use:

Filter P2 Filter P3

- · Protection of hands: Not required.
- · Material of gloves -
- · Penetration time of glove material -
- · Eye protection: Safety glasses

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder
Color: Whitish
Odor: Odorless

(Contd. on page 5)

Printing date 05/18/2017 Version number 2 Reviewed on 05/11/2017

Trade name: IPS PressVEST Premium Powder

	(Contd. of	page
Odor threshold:	Not applicable.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>1400 °C (>2552 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	1.15 g/cm³ (9.597 lbs/gal)	
Bulk density at 20 °C (68 °F):	$1100 - 1200 \text{ kg/m}^3$	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
	CAS: 14808-60-7	Quartz (SiO2)	1
	CAS: 14464-46-1	cristobalite	1

(Contd. on page 6)

Printing date 05/18/2017 Version number 2 Reviewed on 05/11/2017

Trade name: IPS PressVEST Premium Powder

_			(Contd. of page 5)
	· NTP (National To	oxicology Program)	
	CAS: 14808-60-7		K
	CAS: 14464-46-1	cristobalite	K
	· OSHA-Ca (Occupational Safety & Health Administration)		
	None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR,RID,ADN, ADN, IMDG, IA	TA Void
· UN proper shipping name · DOT, ADR,RID,ADN, ADN, IMDG, IA	TA Void
· Transport hazard class(es)	
· DOT, ADR,RID,ADN, ADN, IMDG, IA	TA
Class	Void
· Packing group	
DOT, ADR,RID,ADN, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.

(Contd. on page 7)

Printing date 05/18/2017 Version number 2 Reviewed on 05/11/2017

Trade name: IPS PressVEST Premium Powder

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
 Transport/Additional information: Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
 UN "Model Regulation": Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

CAS: 1344-28-1 aluminium oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

CAS: 14808-60-7 Quartz (SiO2)

CAS: 14464-46-1 cristobalite

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

CAS: 14808-60-7	Quartz (SiO2)	A2
CAS: 14464-46-1	cristobalite	A2
CAS: 1344-28-1	aluminium oxide	A4
CAS: 1309-48-4	magnesium oxide	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 14808-60-7 Quartz (SiO2)

CAS: 14464-46-1 cristobalite

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

Printing date 05/18/2017 Version number 2 Reviewed on 05/11/2017

Trade name: IPS PressVEST Premium Powder

(Contd. of page 7)

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

Quartz (SiO2)

cristobalite

· Hazard statements

May cause cancer.

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

Do not breathe dust.

In case of inadequate ventilation wear respiratory protection.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 05/18/2017 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

 $DOT: \ US \ Department \ of \ Transportation$

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Carc. 1A: Carcinogenicity – Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

* Data compared to the previous version altered.

HS