

Safety Data Sheet
in accordance with HSNO

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

1 Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name:** ***IPS e.max CAD Crystall./Add-On Connect, Dentin, Incisal***
- **CAS Number:**
66402-68-4
- **EC number:**
266-340-9
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Manufacture of dental prosthesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent AG
Bendererstrasse 2
9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
Tel: +423 235 35 35 / Fax: +423 235 33 60
- **Importer:**
Ivoclar Vivadent Ltd
12 Omega St, Rosedale, Auckland
New Zealand
Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990
- **Further information obtainable from:**
Regulatory Affairs
sds@ivoclarvivadent.com
- **Emergency telephone number:** 0800 764 766 (National Poison Centre - 24 hours / 7 days)

2 Hazards identification

- **Classification of the substance or mixture**
The substance is not classified, according to the Globally Harmonised System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
Dust generation
Particular danger of slipping on leaked/spilled product.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/Information on ingredients

- **Chemical characterisation:** Substances
- **CAS No. Description**
66402-68-4 ceramic materials

(Contd. on page 2)

NZ

Safety Data Sheet in accordance with HSNO

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: IPS e.max CAD Crystall./Add-On Connect, Dentin, Incisal

(Contd. of page 1)

- **Identification number(s)**
- **EC number:** 266-340-9

4 First aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Rinse with water.
Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Mechanical effects only.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
The product is not flammable.
Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Particular danger of slipping on leaked/spilled product.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Pick up mechanically.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Only adequately trained personnel should handle this product.

(Contd. on page 3)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: IPS e.max CAD Crystall./Add-On Connect, Dentin, Incisal

(Contd. of page 2)

- Prevent formation of dust.
- Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
- Keep container tightly sealed.
- Store in dry conditions.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
- Usual hygienic measures for dental practice and dental laboratories.
- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Vacuum clean contaminated clothing. Do not blow or brush off contamination.
- Do not inhale dust / smoke / mist.
- **Respiratory protection:**
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Recommended filter device for short term use:** Filter P2
- **Protection of hands:** Not required.
- **Material of gloves**
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Powder
- **Colour:** According to product specification
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **pH-value:** Not applicable.

(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: IPS e.max CAD Crystall./Add-On Connect, Dentin, Incisal

(Contd. of page 3)

· Change in condition Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Product is not flammable.
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** Mechanical effects only.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:** No further relevant information available.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: IPS e.max CAD Crystall./Add-On Connect, Dentin, Incisal

(Contd. of page 4)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|--|
| · UN-Number | Void |
| · ADR/RID/ADN, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · ADR/RID/ADN, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR/RID/ADN, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADR/RID/ADN, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | Product is not classified as a dangerous good for transport (ADR, IMDG, IATA). |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **New Zealand Inventory of Chemicals**

Substance is listed.

- **HSNO Approval numbers**

Substance is not listed.

(Contd. on page 6)

NZ

Safety Data Sheet in accordance with HSNO

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: IPS e.max CAD Crystall./Add-On Connect, Dentin, Incisal

(Contd. of page 5)

- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**
The product is a medical device according to the Directive 93/42/EEC.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

-NZ-